

## Herbal Formulation in the Physiomedicalist Tradition

### Index

#### A

Achillea	3
Acorus	3
Agrimonia	3
Alchemilla	3
Allium	3
Althea	3
Anemone	4
Angelica	4
Apium	4
Aralia	4
Arctium	5
Arctoptaphylos	6
Asclepias	6
Avena	7

#### B

Baptisia	7
Barosma	7
Berberis	8

#### C

Calendula	8
Capsella	9
Capsicum	9
Caryophyllum	10
Cassia	10
Caulophyllum	11
Ceanothus	11
Chelidonium	12
Chimaphila	12
Chionanthus	12
Chondrus	12
Cimicifuga	12
Cinnamomum	13
Citrus	13
Cola	13
Collinsonia	13
Commiphora	13
Coriandrum	14
Crataegus	14

#### D

Dioscorea	15
-----------	----

#### E

Echinacea	15
Ephedra	16
Equisetum	16
Eupatorium perf	16

Eupatorium purp	16
Euphrasia	17

#### F

Filipendula	17
Foeniculum	17

#### G

Galium	17
Gentiana	17
Geranium	17
Glycyrrhiza	18
Grindelia	18

#### H

Hamamelis	18
Humulus	18
Hydrastis	19
Hypericum	21

#### I

Inula	21
Iris	21

#### J

Juniperus	21
-----------	----

#### L

Lactuca	22
Lavandula	22
Leonurus	22
Lobelia	22

#### M

Mahonia	23
Marrubium	23
Matricaria	24
Medicago	24
Melissa	24
Mentha	24
Mentha pulegium	24
Mitchella	24
Myrica	25

#### N

Nepeta	25
Nymphaea	25

#### P

Paeonia	26
Panax	26
Passiflora	26
Pedicularis	26
Phytolacca	26
Pimpinella	26

Pinus	27
Piscidia	27
Plantago	27
Populus	27
Prunus	27

#### R

Rosmarinus	28
Rubus	28
Rumex	28

#### S

Salix	28
Salvia	28
Sambucus	28
Sassafras	29
Scutellaria	29
Serenoa	30
Smilax	30
Solanum	30
Solidago	30
Stachys	30
Stillingia	30
Symphytum	30

#### T

Taraxacum	31
Thuja	31
Thymus	31
Tilia	31
Trifolium	31
Turnera	32
Tussilago	32

#### U

Ulmus	32
-------	----

#### V

Valeriana	32
Verbascum	33
Verbena	33
Viburnum	33
Viola	34
Viscum	34

#### Z

Zanthoxylum	34
Zea	34
Zingiber	34

## **Herbal Formulation in the Physiomedicalist Tradition**

<b>Achillea</b>	Capsella	bacterial or viral infection
Capsella	vesico-renal irritation from	BHP
uterine hemorrhage,	atonic states, enuresis	<b>Allium</b>
excessive menses	Priest	Lobelia
Priest	<b>Agrimonia</b>	Tussilago
<b>Achillea</b>	Compound cardamom tincture	bronchitis
Eupatorium perf	atonic dyspepsia	BHP
influenza first stage	BHP	<b>Althea</b>
Priest	<b>Agrimonia</b>	Barosma
<b>Achillea</b>	Compound rhubarb tincture	cystitis, urethritis, mucopurulent
Mentha	gastroenteritis	discharges
acute colds, influenza	BHP	Priest
Priest	<b>Agrimonia</b>	<b>Althea</b>
<b>Achillea</b>	Filipendula	Calendula
Sambucus	dyspepsia with	Hydrastis (cold water infusion)
Mentha	hyperchlorhydria	gastroenteritis, peptic ulcer,
acute colds, influenza	Priest	cystitis, urethritis
Priest	<b>Agrimonia</b>	Priest
<b>Achillea</b>	Ulmus	<b>Althea</b>
Sambucus	ophthalmia, as a wash	Commiphora m
acute colds, influenza	Lyle	gargle
Priest	<b>Agrimonia</b>	Priest
<b>Achillea</b>	uterine tonics	<b>Althea</b>
Sambucus and Mentha	leucorrhea	Galium
fever	Lyle	dysuria, irritable bladder, cystitis
BHP	<b>Agrimonia</b>	Priest
<b>Achillea</b>	Zea mays	<b>Althea</b>
Tilia	Capsella	Glycyrrhiza, Marrubium, and/or
hypertension	enuresis	Lobel
BHP	Priest	cough
<b>Achillea</b>	<b>Agrimonia 10-30 gtt</b>	BHP
uterine tonics	Zea 15-30 gtt	<b>Althea</b>
"leucorrhea, vaginal laxity"	bedwetting	Juniperus
Lyle, Priest	Clymer	Arctostaphylos
<b>Acorus</b>	<b>Alchemilla</b>	dropsy from renal suppression
Althea	Agrimonia, Geum, or Potentilla	Priest
Filipendula	gastroenteritis	<b>Althea</b>
gastric inflammation	BHP	Lobelia
BHP	<b>Alchemilla</b>	sugar
<b>Acorus</b>	Tillium	bronchial irritation
Zingiber or Dioscorea	Bidens	Cook
flatulent colic	menorrhagia	<b>Althea</b>
BHP	BHP	Lobelia
<b>Agrimonia</b>	<b>Allium</b>	ophthalmia wash or poultice
	Baptisia	Lyle
	Echinacea	

## **Herbal Formulation in the Physiomedicalist Tradition**

<b>Althea</b> Symphytum peptic ulcer BHP	spasmodic and nervous female complaints, headache Clymer	Lyle
<b>Althea</b> Ulmus Lobelia inflamed wounds, ulcers Priest	<b>Anemone</b> Scutellaria convulsions Cook	<b>Apium</b> Menyanthes and/or Guaiacum rheumatic disease BHP
<b>Althea</b> Ulmus poultice inflamed and gangrenous wounds Priest	<b>Anemone</b> Scutellaria chorea, hysteria, agitation, epeleptiform seizures Priest	<b>Apium</b> Taraxacum enhances action of apium BHP
<b>Althea</b> Ulmus inflammation, topical application BHP	<b>Anemone</b> Valeriana menopause, scanty menses Priest	<b>Apium seed</b> Viburnum opulus Helonias tendency to miscarriage Lyle
<b>Althea</b> Zea mays renal, cystic inflammatory states Priest	<b>Anemone 1-3 gtt</b> Mitchella 8-15 Leonurus 8-15 menstrual headache Clymer	<b>Apium seed</b> Viburnum opulus pregnant women with tendency to cramp Lyle
<b>Althea 2</b> Rubus strig 1 inflamed eyes Lyle	<b>Angelica</b> Chamomilla digestive weakness BHP	<b>Aralia</b> Barosma leukorrhoea Cook
<b>Althea 10-15 gtt</b> Asclepias 15-30 gtt actue nephritis Clymer	<b>Angelica</b> Dioscorea Leonurus Coriander Pimpinella Anisum Carminative drops Cook	<b>Aralia</b> Cimicifuga Fraxinus dropsy Cook
<b>Althea 3</b> ulmus 1 plantago 1 glycyrrhiza 1 demulcent Bergner	<b>Angelica</b> Leonurus uterus Cook	<b>Aralia</b> Helonias expectorant Cook
<b>Althea</b> Agrimonia diarrhea Bergner	<b>Angelica 4 dr</b> Dioscorea 2 dr Leonurus, Caulophyllum 1 dr; Zingiber syrup qs 4 oz uterine antispasmodic with deficient flow Lyle	<b>Aralia</b> Hydrastis lungs Cook
<b>Anemone</b> Cimicifuga	<b>Angelica arch FE 4 dr</b> Dioscorea 2; Caulophyllum 1; Leonuru uterine antispasmodic and emmenagogue	<b>Aralia</b> Inula Symphytum Sanguinaria Marrubium Prunus equal parts Compound Syrup of Spikehard, expectorant Cook
		<b>Aralia</b> Pinus spp

## Herbal Formulation in the Physiomedicalist Tradition

Prunus Sassafras drying expectorant Clymer	Symphytum 1; Caulophyllum 1; Syr Pru cough syrup Lyle	<b>Arctium</b> Mahonia Rumex eczema, herpes, psoriasis, acne Priest
<b>Aralia</b> Symphytum Prunus Marrubium cough syrup Clymer	<b>Aralia rac 8</b> Symphytum off 4; Viburnum op 2; Inul cough syrup and female tonic combined Lyle	<b>Arctium</b> Rumex Trifolium chronic skin eruptions Priest
<b>Aralia</b> Viburnum op Humulus chronic bronchitis, loose with free expectoration Clymer	<b>Aralia rac FE 1 dr</b> Inula 1; Symphytum 1; Marrubium 1; S tonic cough syrup Lyle	<b>Arctium</b> Rumex eczema, psoriasis, dermatitis, prefer seeds Priest
<b>Aralia 2</b> Symphytum 2 Mitchella 2; Eupatorium purp 1 weak irritated mucous membrane, whether uterine, alvine, renal, respiratory Lyle	<b>Aralia rac FE 1.5 dr</b> Symphytum 1.5 dr; Inula 1; Sanguinar stimulating cough syrup Lyle	<b>Arctium</b> Rumex, Trifolium skin disease BHP
<b>Aralia hisp 2 dr</b> Taraxacum 4 dr Mitchella 3 drams; Zingiber syr qs 4 oz female diuretic tonic Lyle	<b>Aralia rac FE 2 dr</b> Symphytum 2 dr Syr Prunus qs 4 oz.; add lobelia or sanguinaria to suit the case cough syrup Lyle	<b>Arctium</b> Taraxacum hepatic, eczema, jaundice Lyle
<b>Aralia hisp 2 dr FE</b> Taraxacum 4; Mitchella 3; Syr Zingib female diuretic tonic tsp tid-qid Lyle	<b>Aralia rac FE rac 6 dr</b> Lycopus 4 dr; Polemonium rep 2; Syr cough syrup 12-1 tsp prn Lyle	<b>Arctium</b> Triticum, Juniper, or Eupatorium purp drosy Lyle
<b>Aralia nud FE 2 dr</b> Celastrus 2; taraxacum 4; Menispermu alterative Lyle	<b>Arctium</b> Hydrastis rendered more tonic Lyle	<b>Arctium</b> Zingiber for diffusive effects Lyle
<b>Aralia rac 2</b> Symphytum 1; Mitchella 1; Eupatorium uterine, digestive, renal, respiratory tonic Lyle	<b>Arctium</b> Hydrastis for tonic effects Priest	<b>Arctium</b> Zingiber "for diffusive effects" Priest
<b>Aralia rac 3 dr</b>	<b>Arctium</b> Iris glandular alterative Cook	<b>Arctium 10-20 gtt</b> Echinacea 20-40 gtt Baptisia 2-5 gtt typhoid fever Clymer
		<b>Arctium 10-20 gtt</b> Echinacea 20-40 gtt Scutellaria 2-5 gtt scarlatina, exanthema, typhoid fever; with moist skin

## **Herbal Formulation in the Physiomedicalist Tradition**

<p style="text-align: center;">Clymer</p> <p><b>Arctium 10-20 gtt</b> Echinacea 20-40 gtt scarlatina, exanthema, typhoid fever</p>	<p><b>Arctostaphylos</b> Mitchella atonic leucorrhoea, profuse menstruation, uterine prolapse, vaginal laxity</p>	<p>Symphytum, Marrubium, Glycyrrhiza, Inula, Lobelia dry irritable cough Cook</p>
<p style="text-align: center;">Clymer</p> <p><b>Arctium 10-20 gtt</b> Hydrastis 8-12 gtt Barosma 10-15 gtt skin dz; scrofula</p>	<p style="text-align: center;">Priest</p> <p><b>Arctostaphylos</b> Populus uterine, vaginal, anal weakness</p>	<p><b>Asclepias</b> Eupatorium perf Inula pulmonary inflammation, catarrh, with cough and chest soreness Priest</p>
<p style="text-align: center;">Clymer</p> <p><b>Arctium 10-40 gtt</b> Cimicifuga 2-15 gtt Leonurus 10-20 gtt; Dioscorea 20-40 gtt Rheumatism in the joints</p>	<p style="text-align: center;">Priest</p> <p><b>Arctostaphylos</b> Rhus aromatica cystitis, hematuria, enuresis</p>	<p><b>Asclepias</b> Lobelia Stillingia bronchial catterh Clymer</p>
<p style="text-align: center;">Clymer</p> <p><b>Arctium Elix 2 oz</b> Rumex 2; Aralia nud 1; Iris 1; Still alterative</p>	<p><b>Arctostaphylos 1/2 ounce</b> Bicarbonate of soda 10 grains cystitis per 2 hrs Lyle</p>	<p><b>Asclepias</b> Lobelia lung afflictions Cook</p>
<p style="text-align: center;">Lyle</p> <p><b>Arctium seed</b> Hydrastis Eupatorium purp irritable bladder and urethra Cook</p>	<p><b>Arctostaphylos 10-20 gtt</b> Populus trem 2-15 gtt urinary tract infection Clymer</p>	<p><b>Asclepias</b> Zingiber Capsicum to suit All eruptive diseases; uteritis, urethritis, cystitis, nephritis, irritable ocnditions of the nervous syst Lyle</p>
<p><b>Arctoptaphylos</b> Juniperus Althea dropsy from renal suppression Priest</p>	<p><b>Arctostaphylos 10-20 gtt</b> Populus trem 2-15 gtt uterine, vaginal, anal weakness Clymer</p>	<p><b>Asclepias 10-20 gtt</b> Zingiber 10-40 gtt Capsicum 2-3 gtt pneumonia or pleurisy Clymer</p>
<p><b>Arctostaphylos</b> Althea, Tricitum, Zea, Barosma cystitis BHP</p>	<p><b>Arctostaphylos 2</b> Mitchella 2 Taraxacum 3 uterine prolapse, relaxed vagina, cystic catarrh kidney and bladder pain Lyle</p>	<p><b>Asclepias 15-30 gtt</b> Althea 10-15 gtt actue nephritis Clymer</p>
<p><b>Arctostaphylos</b> Eupatorium purp spermatorrhea, prostatitis, uti infection etc Cook</p>	<p><b>Asclepias</b> Capsicum, Lobelia and/or Grindelia Pulmonary congestion BHP</p>	<p><b>Asclepias 15-40 gtt</b> Scutellaria 2-20 gtt per hour pneumonia, acute pleurisy Clymer</p>
<p><b>Arctostaphylos</b> Galium dropsy, renal obstruction Priest</p>	<p><b>Asclepias</b> Ceanothus</p>	<p><b>Asclepias 20-30</b> Echinacea ang 2-30 Lobelia 3-10 peritonitis Clymer</p>

## **Herbal Formulation in the Physiomedicalist Tradition**

### **Asclepias 20-45**

Marrubium 5-40 gtt

Scutellaria 2-15

deep seated colds with cough,  
with expectoration

Clymer

### **Asclepias 30-60 gtt**

Lobelia 15-50 gtt

Zingiber 15-50

croup

Clymer

### **Asclepias 5-10 gtt**

Althea 10 gtt

Prunus persica 5-10 gtt

chicken pox

Clymer

### **Asclepias 8-10 gtt**

Lobelia 3-5 gtt

Nepeta 10-15 gtt

relaxant for fever

Clymer

### **Asclepias tub pulv 4**

Zingiber 1

Add small amount of capsicum  
to increase stimulant effect

In hot infusion, relaxant  
iaphoretic for fevers in children  
or adults

Lyle

### **Asclepias tub 20-40 gtt**

Eupatorium perf 15-30 gtt

Scutellaria 12-15 gtt

influenza, colds, fever,  
pleurisy

Clymer

### **Asclepias tub 20-40 gtt**

Eupatorium perf 15-30 gtt

Scutellaria 12-15 gtt add

Capsicum

influenza, colds, fever; chills  
predominant

Clymer

### **Asclepias tub 20-40 gtt**

Eupatorium perf 15-30 gtt

Scutellaria 12-15 gtt; add

Lobelia

influenza, colds, fever; if  
relaxant effect is needed

Clymer

### **Asclepias tub 4**

Lobelia 1/2

Zingiber 1

in hot infusion for bronchitis,  
pleuritis, peritonitis,  
pneumonia, acute catarrh,  
membranous croup, colds

Lyle

### **Asclepias tub powder 4**

Solidago 4

Zingiber 1 plus capsicum as  
needed

in hot infusion for influenza,  
typhoid, bilious fevers, for  
duration of fever, increasing  
capsicum

Lyle

### **Asclepias tub powder 4**

Zingiber 1

Caulophyllum 2

Antispasmodic emmenagogue

Lyle

### **Asclepias tub powder 4**

Zingiber 1

Mentha spic 2

Diuretic

Lyle

### **Avena**

Mitchella

neurasthenia, irritability

Priest

### **Avena**

Scutellaria

tonic nerveine

BHP

### **Avena**

Scutellaria

neurasthenia and neuroses

Priest

### **Avena**

Turnera

nervous exhaustion and  
debility from chronic disease

Priest

### **Avena 6**

Helonias 3; Vib op 4; Dioscorea  
5

Female nerveine tonic

Lyle

### **Baptisia**

Echinacea

Hydrastis

eczema from blood condition

Priest

### **Baptisia**

Echinacea, Capsicum,

Commiphora

throat afflictions

BHP

### **Baptisia**

Phytolacca, Viola odorata and  
Arctium

lymph node inflammation, boils

BHP

### **Baptisia 1 tsp**

Geranium 2 tsp

ground roots as tea

typhoid fever with excess  
discharge

Clymer

### **Baptisia 2**

Echinacea 15-40

Commiphora 2

peritonitis

Clymer

### **Baptisia 2-15 gtt**

Geranium 10-30 gtt

typhoid fever with excess  
discharge

Clymer

### **Baptisia 2-5 gtt**

Arctium 10-20 gtt

Echinacea 20-40 gtt

typhoid fever

Clymer

### **Barosma**

Althea

genitourinary conditions with  
painful micturition and pyuria

BHP

### **Barosma**

## ***Herbal Formulation in the Physiomedicalist Tradition***

Althea cystitis, urethritis, mucopurulent discharges Priest	Juniperus 4 Piper cub 1; Actrostaphylos 1 Stimulating diuretic Lyle	BHP <b>Calendula</b> Hamamelis protruding bleeding hemorrhoids; locally vulval bruising after childbirth; sore or bloodshot eyes Priest
<b>Barosma</b> Aralia leukorrhoea Cook	<b>Barosma 9</b> Juniperus 4 Piper cub 1.5; sweet spirits nitre 1.5 Stimulating diuretic Lyle	<b>Calendula</b> Hamamelis water lotion for varicose veins BHP
<b>Barosma</b> Galium dropsy, renal obstruction Priest	<b>Barosma FE 4</b> Eupatorium purp 8; Hydrastis 1 cyclic catarrh, pelvic congestion; dropsy, prostatic afflictions Lyle	<b>Calendula</b> Hydrastis Althea (cold water infusion) gastroenteritis, peptic ulcer, cystitis, urethritis Priest
<b>Barosma</b> Juniperus dropsical conditions, gravel Priest	<b>Berberis vulg</b> Chionanthus duodenal ulcer, hepatic torpor, catarrhal jaundice, gallstones Priest	<b>Calendula</b> Hydrastis, Commiphora antiseptic application BHP
<b>Barosma</b> uterine tonics pelvic congestion Priest	<b>Berberis 3-7 gtt</b> Hydrastis 7-10 gtt Capsicum 2-4 gtt deadly stage tuberculosis Clymer	<b>Calendula</b> Matricaria infusion eczema Clymer
<b>Barosma 1</b> Caulophyllum 5 antispasmodic diuretic Lyle	<b>Berberis v</b> Chelone glabra Populus bitter tonic Clymer	<b>Calendula</b> Symphytum bloody cough or vomit Priest
<b>Barosma 1</b> Cypripedium 6 relaxing nervine diuretic Lyle	<b>Berberis v</b> Populus Prunus bitter tonic (Thomson) Cook	<b>Calendula</b> Ulmus, Chondrus lotion for cuts, burns, scalds BHP
<b>Barosma 10 grains</b> Juniper 5 grains Arctostaphylos 5 grains; Acetate potash 3 grains Elixir by percolation; stimulating diuretic Lyle	<b>Berberis v</b> Populus Prunus; stomachic and laxative Clymer	<b>Calendula 1 ounce</b> Nymphaea 1 oz Hydrastis 1 ounce 1/4 oz Commiphora; non alcoholic tincture sore breasts Clymer
<b>Barosma 10-12 gtt</b> Galium 10-30 gtt irritated mucous membranes in any part of the system Clymer	<b>Calendula</b> Geranium duodenal ulcer	<b>Calendula 1 ounce</b> Nymphaea 1 oz Hydrastis 1 ounce; non alcoholic tincture
<b>Barosma 10-15 gtt</b> Arctium 10-20 gtt Hydrastis 8-12 gtt skin dz; scrofula Clymer		
<b>Barosma 4</b>		

## ***Herbal Formulation in the Physiomedicalist Tradition***

leukorrhoea; tampon application for prolapse, ulceration of the cervix, relaxed vagina Clymer	Prunus persica 10-20 gtt acute nephritis Clymer	irritable dyspepsia or biliousness Cook
<b><i>Calendula 5-40 gtt</i></b> Hydrastis 7-12 gtt Geranium 20-40 gtt; topical, use non alcoholic tincture wet dressings; tampon applied to cervix Clymer	<b><i>Capsicum</i></b> Althea, Filipendula flatulence or digestive spasm BHP	<b><i>Capsicum</i></b> Hedeoma emmenagogue Cook
<b><i>Capsella</i></b> Achillea uterine hemorrhage, excessive menses Priest	<b><i>Capsicum</i></b> Amygdalus kidney congestion Cook	<b><i>Capsicum</i></b> Hydrastis hepatics sustains portal circulation in typhoid Lyle
<b><i>Capsella</i></b> Agrimonia vesico-renal irritation from atonic states, enuresis Priest	<b><i>Capsicum</i></b> Caulophyllum emmenagogue Cook	<b><i>Capsicum</i></b> Hydrastis gargle Cook
<b><i>Capsella</i></b> Barosma cystitis BHP	<b><i>Capsicum</i></b> Cimicifuga emmenagogue Cook	<b><i>Capsicum</i></b> Hydrastis topical for ulcer Cook
<b><i>Capsella</i></b> Populus uterine, vaginal, anal weakness Priest	<b><i>Capsicum</i></b> Cinnamomum Caryophyllum shock of injury, cold sweats pp Priest	<b><i>Capsicum</i></b> Lobelia Caulophyllum convulsions Cook
<b><i>Capsella</i></b> Trillium and Hydrastis menorrhagia, metrorrhagia BHP	<b><i>Capsicum</i></b> Commiphora septic conditions Clymer	<b><i>Capsicum</i></b> Lobelia oils of rosmarinus, Artemesia, Mentha spic liniment; bruises, arthritis Cook
<b><i>Capsella</i></b> with stronger astringents internal hemorrhage of lungs, bowels Priest	<b><i>Capsicum</i></b> Crataegus Cactus myocardial degeneration Priest	<b><i>Capsicum</i></b> Lobelia internal or liniment Cook
<b><i>Capsella</i></b> Zea mays Agrimonia enuresis Priest	<b><i>Capsicum</i></b> Eupatorium perf Artemesia irritable dyspepsia or biliousness Cook	<b><i>Capsicum</i></b> Lobelia liniment pp Cook, Priest
<b><i>Capsella 15-30 gtt</i></b> Althea 10-30 gtt	<b><i>Capsicum</i></b> Eupatorium perf Gentiana irritable dyspepsia or biliousness Cook	<b><i>Capsicum</i></b> Lobelia antispasmodic; adds diffusiveness to capsicum; colds, chills, congestions, pneumonia, rheumatism, neuralgi Lyle



## ***Herbal Formulation in the Physiomedicalist Tradition***

<b><i>Capsicum</i></b> Lobelia uterine and ovarian congestion Priest	topical on ulcers Cook	Hydrastis 7-10 gtt weakness of the heart Clymer
<b><i>Capsicum</i></b> Myrica gargle Cook	<b><i>Capsicum 1 dram</i></b> Myrica 4 oz Zingiber 4 oz Pinus 1 oz Zingiber 4 oz Pinus 1 oz Zanthoxylum 1 dram Capsicum 1 dram Composition powder Cook	<b><i>Capsicum oil 1 dr</i></b> Sassafras, Origanum, Horsemint, Ceda stimulating liniment Lyle
<b><i>Capsicum</i></b> Myrica passive hemorrhage from internal organs; antiseptic gargle Cook	<b><i>Capsicum 1 gtt</i></b> Zanthoxylum 5-10 gtt Hydrastis 3 gtt chronic intestinal conditions Clymer	<b><i>Capsicum oil 1oz</i></b> Origanum 1, Abies 1, Sassafras 1, Ol stimulating liniment Lyle
<b><i>Capsicum</i></b> Commiphora gargle Cook	<b><i>Capsicum 1-3 gtt</i></b> Gentiana 3-10 gtt Lobelia 3-10 gtt ague Clymer	<b><i>Capsicum powder 1</i></b> Commiphora powder 2 alcohol 16 oz tincture; Thomson #6 Lyle
<b><i>Capsicum</i></b> Commiphora gargle or topical antiseptic BHP	<b><i>Capsicum 2-3 gtt</i></b> Commiphora 2-5 gtt Thomson #6'z: topical antiseptic, internal stimulant Clymer	<b><i>Capsicum powder 1 oz</i></b> sodium chloride 1 Hydrastis 2, Commiphora 2, Solidago 4; acetum qs 32 oz gargle for diphtheria, scarlatine, pharyngitis Lyle
<b><i>Capsicum</i></b> nervines delirium tremens Lyle	<b><i>Capsicum 2-3 gtt</i></b> Tanacetum parth 10-30 gtt Echinacea ang 10-20 gtt purpureal fever Clymer	<b><i>Capsicum tr</i></b> Cinnamon oil Clove oil aa intense stimulant Lyle
<b><i>Capsicum</i></b> Rhus arom Zanthoxylum greater stimulation, quicker result Priest	<b><i>Capsicum 2-3 gtt</i></b> Zingiber 10-40 gtt Asclepias 10-20 gtt pneumonia or pleurisy Clymer	<b><i>Capsicum tr 16</i></b> Lobelia 16 Wormwood oil, Rosemary oil, Spearmint oil, aa 1 oz liniment for sprains, bruises, rheumatism, or neuralgia Lyle
<b><i>Capsicum</i></b> sodium chloride vinegar mild sore throat Lyle	<b><i>Capsicum 2-4 gtt</i></b> Hydrastis 7-10 gtt Berberis 3-7 gtt deadly stage tuberculosis Clymer	<b><i>Caryophyllum</i></b> Capsicum Cinnamomum shock of injury, cold sweats pp Priest
<b><i>Capsicum</i></b> with nervines small dose Capsicum nervous depression Priest	<b><i>Capsicum 2-4 gtt</i></b> Lobelia 10-15 gtt angina Clymer	<b><i>Cassia (senna)</i></b> Coriandrum mild laxative, counters griping Cook
<b><i>Capsicum ( a little )</i></b> Commiphora Lobelia	<b><i>Capsicum 2-4 gtt</i></b> Scutellaria 3-15 gtt	<b><i>Cassia (senna)</i></b>

## **Herbal Formulation in the Physiomedicalist Tradition**

Eupatorium perf strong laxative Cook	<b>Caulophyllum</b> Helonias Viburnum parturient, prevents miscarriage Priest	Senecio aur Viburnum op anemic atonic dysmenorrhea Priest
<b>Cassia (senna)</b> Gentiana strong laxative Cook	<b>Caulophyllum</b> Helonias amonorrhea, dysmenorrhea Priest	<b>Caulophyllum</b> Smilacina Citrus leucorrhoea, dysmenorrhea Cook
<b>Cassia (senna)</b> Zingiber mild laxative, counters griping Cook, Shook	<b>Caulophyllum</b> Inula Matricaria uterine languor Cook	<b>Caulophyllum 2</b> Dioscorea 3; Scutellaria 1 Lobelia (a little) rigid os uteri Lyle
<b>Caulophyllum</b> Aralia Prunus cough antispasmodic Lyle	<b>Caulophyllum</b> Leonurus Zingiber premenstrual tension, congestive amenorrhea or dysmenorrhea Priest	<b>Caulophyllum 2</b> Dioscorea 3; Scutellaria 1 convulsions, after-pains, nervousness during parturition Lyle
<b>Caulophyllum</b> Capsicum emmenagogue Cook	<b>Caulophyllum</b> Leonurus amenorrhea, the leonurus making the compound more stimulating Lyle	<b>Caulophyllum 2-5 gtt</b> Cimicifuga 1-10 gtt Actea alba 1-5 gtt; ; Viburnum 5-10 gtt; Senecio aureus 3-5 gtt amonorrhea, dysmenorrhea, ovarian cramps, pelvic congestion and irritation Clymer
<b>Caulophyllum</b> Chamaelirium, Leonurus, Achillea uterine weakness BHP	<b>Caulophyllum</b> Lobelia Capsicum convulsions Cook	<b>Caulophyllum FE 2 dr</b> Lobelia tr 2 dr Zingiber Syr qs 4 oz bronchial catarrh Lyle
<b>Caulophyllum</b> Cimicifuga Leonurus atonic uterus, ovarian neuralgia, leucorrhoea, dysmeniorrhoea Priest	<b>Caulophyllum</b> Lobelia convulsions Priest	<b>Ceanothus</b> Asclepias Symphytum, Marrubium, Glycyrrhiza, Inula, Lobelia dry irritable cough Cook
<b>Caulophyllum</b> Cimicifuga antispasmodic Cook	<b>Caulophyllum</b> Mitchella to facilitate parturition Priest	<b>Ceanothus 10-20 gtt</b> Hydrastis 7-10 gtt Chionanthus 3-7 liver problems, with dyspepsia Clymer
<b>Caulophyllum</b> Cimicifuga menopausal pains and discomforts Priest	<b>Caulophyllum</b> Scutellaria restlessness during pregnancy Priest	<b>Ceanothus FE 2 dr</b> Aralia 2; Symphytum 1; Prunus Syr qs
<b>Caulophyllum</b> Dioscorea Zingiber colic Cook	<b>Caulophyllum</b>	

## Herbal Formulation in the Physiomedicalist Tradition

Cough. Add lobelia or sanguinaria as required Lyle	<b>Cimicifuga</b> Anemone spasmodic and nervous female complaints, headache Clymer	Meynanthes or Apium rheumatic diseases BHP
<b>Ceanothus FE 2 dr</b> Aralia 2; Symphytum 1; Prunus Syr qs cough syrup Lyle	<b>Cimicifuga</b> Betonica off Scutellaria Rheumatism, sciatica chronic Priest	<b>Cimicifuga</b> Phytolacca Zanthoxylum chronic Rheumatism, neuralgia Priest
<b>Chelidonium</b> Berberis and/or Taraxacum gall-bladder disease BHP	<b>Cimicifuga</b> Betonica off phrenitis, ischemic headache, with sclerotic changes Priest	<b>Cimicifuga</b> Phytolacca Rheumatism Cook
<b>Chimaphila</b> Stillingia Rumex Gentiana lymphatic Cook	<b>Cimicifuga</b> Capsicum emmenagogue Cook	<b>Cimicifuga</b> Scutellaria convulsions Cook
<b>Chimaphila 2-15 gtt</b> Populus trem 10-15 gtt dropsy Clymer	<b>Cimicifuga</b> Caulophyllum Leonurus atonic uterus, ovarian neuralgia, leucorrhea, dysmenorrhoea Priest	<b>Cimicifuga</b> Scutellaria chorea, hysteria, agitation, epileptiform seizures Priest
<b>Chionanthus</b> Berberis duodenal ulcer, hepatic torpor, catarrhal jaundice, gallstones Priest	<b>Cimicifuga</b> Caulophyllum antispasmodic Cook	<b>Cimicifuga</b> Zanthoxylum tinnitus BHP
<b>Chionanthus 3-7</b> Ceanothus 10-20 gtt Hydrastis 7-10 gtt liver problems, with dyspepsia Clymer	<b>Cimicifuga</b> Caulophyllum menopausal pains and discomforts Priest	<b>Cimicifuga</b> Zanthoxylum tinnitus, Rheumatism, neuralgia, sciatica Priest
<b>Chionanthus 3-7 gtt</b> Hydrastis 7-10 gtt malignancies of stomach and bowels, uterus; chronic conditions of liver and spleen Clymer	<b>Cimicifuga</b> Dioscorea Valeriana dysmenorrhoea Priest	<b>Cimicifuga 1-10 gtt</b> Actea alba 1-5 gtt Caulophyllum 2-5 gtt; Viburnum 5-10 gtt; Senecio aureus 3-5 gtt amenorrhoea, dysmenorrhoea, ovarian cramps, pelvic congestion and irritation Clymer
<b>Chionanthus 6</b> Hydrastis 8 gtt Populus 4-8 headache Clymer	<b>Cimicifuga</b> Inula Lobelia Glycyrrhiza cough Cook	<b>Cimicifuga 2-15 gtt</b> Arctium 10-40 gtt Leonurus 10-20 gtt; Dioscorea 20-40 gtt Rheumatism in the joints
<b>Chondrus</b> Cinnamomum and Glycyrrhiza bronchial catarrh BHP	<b>Cimicifuga</b>	

## *Herbal Formulation in the Physiomedicalist Tradition*

<p style="text-align: right;">Clymer</p> <p><b>Cimicifuga pwr</b>  Aralia rac; lycopus, Matricaria  heaped TBLS to pint of barley  water, sweeten with honey  bronchial cough  Lyle</p> <p><b>Cinnamomum</b>  Capsicum  Caryophyllum  shock of injury, cold sweats pp  Priest</p> <p><b>Cinnamomum</b>  Filipendula, Chamomilla,  Ulmus,  flatulent dyspepsia, gastritis  BHP</p> <p><b>Cinnamomum</b>  Sambucus, Mentha pip,  Achillea  influenza  BHP</p> <p><b>Cinnamomum 1</b>  PetroseLinum 2  Carum 2 Rheum 2  baby's soothing syrup  Shook</p> <p><b>Cinnamomium oil 1</b>  Capsicum 1  Sassafras 1  stimulating liniment; or 1 gtt in  water for cholera, colic, flatus  with liniment over abdomen  Lyle</p> <p><b>Citrus</b>  Gentiana  Coriandrum  digestive bitter  Cook</p> <p><b>Citrus</b>  Smilacina  Caulophyllum  leucorrhoea, dysmenorrhoea  Cook</p> <p><b>Cola</b>  Betonica</p>	<p style="text-align: right;">neurasthenia, melancholia  Priest</p> <p><b>Collinsonia</b>  Aphanes, Eupatorium purp,  Hydrangea  urinary stone or gravel  BHP</p> <p><b>Collinsonia (green) FE 1 oz</b>  Syr Juglans 3 oz; tsp prn to  keep bo  hemorrhoids  Lyle</p> <p><b>Collinsonia (green) FE 8 oz</b>  FE Lobelia 4 oz; comp tr  Commiphora  diaphoretic for influenza,  colds, fevers  Lyle</p> <p><b>Collinsonia FE</b>  Avena Sativa  Sig: 20 gtt per 3-4 hours  Infantile paralysis  Lyle</p> <p><b>Collonsonia</b>  Gentiana  Hydrastis  portal congestion  Priest</p> <p><b>Collonsonia</b>  Hydrastis  Commiphora  laryngeal inflammation  Priest</p> <p><b>Collonsonia</b>  Juglans  Leptandra  hemorrhoids  Priest</p> <p><b>Collonsonia</b>  Juglans cin.  hemorrhoids/ portal  congestion  Priest</p> <p><b>Collonsonia</b>  Leptandra  rectal prolapse, hemorrhoids</p>	<p style="text-align: right;">Priest</p> <p><b>Collonsonia</b>  Spiraea  Rubus  gastro-enteritis with diarrhea  Priest</p> <p><b>Commiphora</b>  Achillea, Sambucus, Hyssopus,  Capsicum  common cold  BHP</p> <p><b>Commiphora</b>  Althea  gargle  Priest</p> <p><b>Commiphora</b>  Capsicum  septic conditions  Clymer</p> <p><b>Commiphora</b>  Capsicum  gargle  Cook</p> <p><b>Commiphora</b>  Zingiber  Aloe spicata  emmenagogue, cathartic  Cook</p> <p><b>Commiphora</b>  Echinacea, Baptisia, Uliginosum  tonsillitis, pharyngitis  BHP</p> <p><b>Commiphora</b>  Equisetum  Symphytum; compress  old sores with foul smelling pus  Clymer</p> <p><b>Commiphora</b>  Hamamelis water  topical application to wounds  BHP</p> <p><b>Commiphora</b>  Lobelia  Capsicum ( a little )  topical on ulcers  Cook</p>
---	---	---

## Herbal Formulation in the Physiomedicalist Tradition

<p><b>Commiphora</b> Phytolacca oral and gargle Priest</p>	<p><b>Commiphora FE 4 dr</b> Cypripedium 4; Zanthoxylum 20 gtt; S Antiseptic diffusive tonic to circulation and nerves Lyle</p>	<p>Carminative drops Cook</p>
<p><b>Commiphora</b> Salvia sore ulcerated throat Priest</p>	<p><b>Commiphora FE 4 oz</b> Capsicum tr 2 dr; Syr Simplex 1 oz Stimulating antiseptic; shock from injury; parturient (1 drop in a little water) Lyle</p>	<p><b>Coriandrum</b> Cassia (senna) mild laxative, counters griping Cook</p>
<p><b>Commiphora 10 grains</b> Hydrastia sulf 2; Ferri et potass. t gastric catarrh; relaxed and debilitated stomach, anemic dyspepsia, chronic enteralgia Lyle</p>	<p><b>Commiphora m 1/4 ounce</b> Nymphaea 1 oz Hydrastis 1 ounce Calendula 1 ounce; non alcoholic tincture sore breasts Clymer</p>	<p><b>Coriandrum</b> Gentiana Citrus digestive bitter Cook</p>
<p><b>Commiphora 2</b> Echinacea 15-40 Baptisia 2 peritonitis Clymer</p>	<p><b>Commiphora m 10 gtt</b> Hydrastis 1/2 oz tincture as a spray diphtheria, malignant sore throat Clymer</p>	<p><b>Crataegus</b> Cactus Capsicum myocardial degeneration Priest</p>
<p><b>Commiphora 2-4 gtt</b> Geranium 10-30 gtt Myrica 13-30 gtt; local and oral hemorrhage Clymer</p>	<p><b>Commiphora Pul 1 lb</b> Alcohol 1 qt; Glycerine 13 oz; Water Tincture formula: macerate 2-4 weeks; will not precipitate Lyle</p>	<p><b>Crataegus</b> Cactus cardiac weakness Priest</p>
<p><b>Commiphora 2-5 gtt</b> Capsicum 2-3 gtt Thomson #6'z: topical antiseptic, internal stimulant Clymer</p>	<p><b>Commiphora Pul 16 oz</b> Capsicum 1 oz; Alcohol 60% 64 oz; su Stimulating antiseptic; shock from injury; parturient (1 drop in a little water) Lyle</p>	<p><b>Crataegus</b> Cactus, Tilia, Viscum, or Scutellari cardiovascular disease BHP</p>
<p><b>Commiphora 2-5 gtt</b> Echinacea ang 15-30 gtt spesis with extreme morbidity; external; also for insect bites Clymer</p>	<p><b>Commiphora Pul 4 oz</b> Capsicum 2 dr; Sugar 1 oz Stimulating antiseptic; shock from injury; parturient (1 drop in a little water) Lyle</p>	<p><b>Crataegus</b> Leonurus infusion organic and functional heart disorders Shook</p>
<p><b>Commiphora 3/4 oz</b> Guaiac gum 1/2 oz; Camphor gum; 1/4 Pain killer Lyle</p>	<p><b>Commiphora Pul 16 oz</b> Capsicum 1 oz; Alcohol 60% 64 oz; su Stimulating antiseptic; shock from injury; parturient (1 drop in a little water) Lyle</p>	<p><b>Crataegus</b> Viscum Tilia congestive headache hypertension Priest</p>
<p><b>Commiphora 5 gtt</b> Echinacea ang 5 gtt in 1/2 ounce water, 5 drops in the ear threatened mastoiditis Clymer</p>	<p><b>Commiphora Pul 4 oz</b> Capsicum 2 dr; Sugar 1 oz Stimulating antiseptic; shock from injury; parturient (1 drop in a little water) Lyle</p>	<p><b>Crataegus</b> Viscum Tilia Scutellaria hypertension Priest</p>
<p><b>Commiphora 5 gtt</b> Echinacea ang 5 gtt in 1/2 ounce water, 5 drops in the ear threatened mastoiditis Clymer</p>	<p><b>Coriander</b> Angelica Dioscorea Leonurus Pimpinella Anethum</p>	<p><b>Crataegus 1</b> Leonurus 2 cardiac Shook</p>

## Herbal Formulation in the Physiomedicalist Tradition

<b>Crataegus 12 gtt</b>	gi gu spasm	Hydrastis
Cactus 2 gtt	Cook	gastric and duodenal ulcers
cardiac insufficiency		Priest
Clymer		
<b>Dioscorea</b>	<b>Dioscorea</b>	<b>Echinacea 15-40</b>
Acorus, Chamomilla and/or	Viburnum	Baptisia 2
Singiber h	menstrual cramps	Commiphora 2
intestinal colic	Bergner	peritonitis
BHP		Clymer
<b>Dioscorea</b>	<b>Dioscorea</b>	<b>Echinacea 20-40 gtt</b>
Alpinia	Viburnum op	Arctium 10-20 gtt
flatulent dyspepsia	Mitchella	Baptisia 2-5 gtt
Priest	nervousness, restlessness,	typhoid fever
	pains of pregnancy	Clymer
	Priest	
<b>Dioscorea</b>	<b>Dioscorea</b>	<b>Echinacea 20-40 gtt</b>
Angelica	Viburnum op	Arctium 10-20 gtt
Leonurus Coriander	colic pains and smapsm of gi	Scutellaria 2-5 gtt
Pimpinella Anethum	and gu organs	scarlatina, exanthema, typhoid
Carminative drops	Priest	fever; with moist skin
Cook		Clymer
<b>Dioscorea</b>	<b>Dioscorea</b>	<b>Echinacea 20-40 gtt</b>
Caulophyllum	Viburnum op, Cimicifuga	Arctium 10-20 gtt
Zingiber	rheumatoid arthritis	scarlatina, exanthema, typhoid
colic	BHP	fever
Cook		Clymer
<b>Dioscorea</b>	<b>Dioscorea 20-40 gtt</b>	<b>Echinacea ang 10-20 gtt</b>
Nepeta	Arctium 10-40 gtt	Tanacetum parth 10-30 gtt
infusion, enema	Cimicifuga 2-15 gtt; Leonurus	Capsicum 2-3 gtt
colic, abdominal cramp,	10-20 gtt	purpureal fever
colonic pain	Rheumatism in the joints	Clymer
Priest	Clymer	
<b>Dioscorea</b>	<b>Echinacea</b>	<b>Echinacea ang 10-30 gtt</b>
Sambucus, Althea	Arctium, Iris	Geranium 10-30 gtt
appendicitis, diverticulosis	boils	typhoid fever with excess
BHP	BHP	discharge
<b>Dioscorea</b>	<b>Echinacea</b>	Clymer
Valeriana	Baptisia	<b>Echinacea ang 15-30</b>
Cimicifuga	Hydrastis	Scutellaria 15-30 gtt
dysmenorrhea	eczema from blood condition	snakebite, hydrophobia
Priest	Priest	Clymer
<b>Dioscorea</b>	<b>Echinacea</b>	<b>Echinacea ang 15-30 gtt</b>
Valeriana	Baptisia, Commiphora	Commiphora 2-5 gtt
Zingiber	pharyngitis, tonsillitis	spesis with extreme morbidity;
colic	BHP	external; also for insect bites
Priest		Clymer
<b>Dioscorea</b>	<b>Echinacea</b>	<b>Echinacea ang 2-30</b>
Viburnum	Convallaria	Asclepias 20-30
	Phytolacca	Lobelia 3-10
	endocarditis	
	Priest	
	<b>Echinacea</b>	

## Herbal Formulation in the Physiomedicalist Tradition

peritonitis Clymer		Cook	stimulants
<b>Echinacea ang 5 gtt</b>	<b>Eupatorium perf</b>	Asclepias	skin diseases and eruptive fevers of hepatic origin
Commiphora 5 gtt	Inula		Priest
in 1/2 ounce water, 5 drops in the ear	pulmonary inflammation, catarrh, with cough and chest soreness		<b>Eupatorium perf 15-30 gtt</b>
threatened mastoiditis		Priest	Asclepias tub 20-40 gtt
Clymer	<b>Eupatorium perf</b>		Scutellaria 12-15 gtt
	Cassia (senna)		influenza, colds, fever
<b>Ephedra</b>	strong laxative		Clymer
Equisetum		Cook	<b>Eupatorium perf 15-30 gtt</b>
enuresis	<b>Eupatorium perf</b>		Asclepias tub 20-40 gtt
BHP	Chelone		Scutellaria 12-15 gtt; add Capsicum
<b>Ephedra</b>	Juglans syrup		influenza, colds, fever; chills predominant
Lobelia, Grindelia and Symplocarpus	post influenzal gastric irritation with biliousness/constipation		Clymer
asthma		Priest	<b>Eupatorium perf 15-30 gtt</b>
BHP	<b>Eupatorium perf</b>		Asclepias tub 20-40 gtt
<b>Equisetum</b>	Gentiana		Scutellaria 12-15 gtt; add Lobelia
Symphytum	Aloe spicata		influenza, colds, fever; if relaxant effect is needed
Commiphora; compress	laxative tonic		Clymer
old sores with foul smelling pus		Cook	<b>Eupatorium purp</b>
Clymer	<b>Eupatorium perf</b>		alteratives
<b>Equisetum</b>	Gentiana		gout, lumbago, Rheumatism
Zea	Capsicum		Priest
acute cystitis with structure, urethritis	irritable dysepsia or biliouness		<b>Eupatorium purp</b>
Priest		Cook	Althea rosa
<b>Eupatorium perf</b>	<b>Eupatorium perf</b>		spermatorrhea, prostatitis, uti infection etc
Achillea	Geranium mac		Cook
influenza first stage	coryza with sneezing		<b>Eupatorium purp</b>
Priest		Clymer	Arctostaphylos
<b>Eupatorium perf</b>	<b>Eupatorium perf</b>		spermatorrhea, prostatitis, uti infection etc
Achillea, Sambucus, Asclepias plus Capsicum or Zingiber	Glycyrrhiza		Cook
influenza	bitter tonic		<b>Eupatorium purp</b>
BHP		Cook	Hydrastis
<b>Eupatorium perf</b>	<b>Eupatorium perf</b>		Arctium seed
Anemone	Helonias		irritable bladder and urethra
influenza third stage	expectorant		Cook
Priest	<b>Eupatorium perf</b>		<b>Eupatorium purp</b>
<b>Eupatorium perf</b>	Hydrastis		Hydrastis
Artemesia	Capsicum		Arctium seed
Capsicum	irritable dysepsia or biliouness		irritable bladder and urethra
irritable dysepsia or biliouness		Cook	Cook
<b>Eupatorium perf</b>	<b>Eupatorium perf</b>		<b>Eupatorium purp</b>
	Hydrastis		Hydrastis
	Capsicum		spermatorrhea, prostatitis, uti infection etc
	irritable dysepsia or biliouness		Cook
	<b>Eupatorium perf</b>		<b>Eupatorium purp</b>

## Herbal Formulation in the Physiomedicalist Tradition

Hydrastis bladder and urethra Cook	interior cold Bergner	Cook
<b>Eupatorium purp</b> Juniperus diuretic Cook	<b>Galium</b> Althea cystitis BHP	<b>Gentiana</b> Collonsonia Hydrastis portal congestion Priest
<b>Eupatorium purp</b> Mitchella uterine or vaginal irritation, general pelvic weakness Priest	<b>Galium</b> Althea dysuria, irritable bladder, cystitis Priest	<b>Gentiana</b> Eupatorium perf Aloe spicata laxative tonic Cook
<b>Euphrasia</b> Hydrastis local for Rheumatic choroiditis, corneal opacity Priest	<b>Galium</b> Arctostaphylos drospy, renal obstruction Priest	<b>Gentiana</b> Eupatorium perf Capsicum irritable dyspepsia or biliouness Cook
<b>Euphrasia</b> Hydrastis, Hamamelis water eyewash BHP	<b>Galium</b> Barosma drospy, renal obstruction Priest	<b>Gentiana</b> Hypericum liver corrector Clymer
<b>Filipendula</b> Agrimonia dyspepsia wth hyperchlorhydria Priest	<b>Galium</b> Rhus aromatica enuresis in children Priest	<b>Gentiana</b> Zingiber digestive bitter DHC
<b>Filipendula</b> Althea, Melissa Gastric conditions BHP	<b>Galium 10-30 gtt</b> Barosma 10-12 gtt irritated mucous membranes in any part of the system Clymer	<b>Gentiana 3-10 gtt</b> Hydrastis 8-12 gtt Lobelia 3-8 gtt atonic states of gi tract Clymer
<b>Foeniculum</b> Barosma Arctostaphylos bacterial cystitis BHP	<b>Gaultheria</b> Filipendula, Menyanthes rheumatic conditions BHP	<b>Gentiana 3-10 gtt</b> Lobelia 3-10 gtt Capsicum 1-3 gtt ague Clymer
<b>Foeniculum</b> Chamomilla, Acorus, Alpinia flatulent colic BHP	<b>Gentiana</b> Cassia (senna) strong laxative Cook	<b>Geranium</b> Bidens digestive hemorrhage BHP
<b>Foeniculum</b> Rosmarinus, Salvia, Hamamelis gargle BHP	<b>Gentiana</b> Chimaphila Stillingia; Rumex lymphatic Cook	<b>Geranium</b> Geum, Agrinomia, or Symphytum duodenal ulcer BHP
<b>Foeniculum</b> Cinnamomum	<b>Gentiana</b> Citrus Coriandrum digestive bitter	<b>Geranium</b> Hydrastis



## **Herbal Formulation in the Physiomedicalist Tradition**

catarrhal gastritis, diarrhea, dysentery	Eupatorium perf bitter tonic	bruising after childbirth; sore or bloodshot eyes
Priest	Cook	Priest
<b>Geranium</b>	<b>Glycyrrhiza</b>	<b>Hamamelis</b>
Rhus arom to reinforce astringency	Inula Lobelia Cimidifuga cough	Phytolacca spray, inflamed sore throat
Priest	Cook	Priest
<b>Geranium 10-30 gtt</b>	<b>Glycyrrhiza</b>	<b>Hamamelis</b>
Baptisia 2-15 gtt typhoid fever with excess discharge	Linum (flax seed) expectorant	Plantago hemorrhoids
Clymer	Cook	BHP
<b>Geranium 10-30 gtt</b>	<b>Glycyrrhiza</b>	<b>Hamamelis</b>
Echinacea ang 10-30 gtt typhoid fever with excess discharge	Linum, Lobelia, Capsicum bronchitis	Rubus lotion for ophthalmia
Clymer	BHP	Priest
<b>Geranium 10-30 gtt</b>	<b>Glycyrrhiza</b>	<b>Hamamelis</b>
Myrica 13-30 gtt Commiphora 2-4 gtt; local and oral hemorrhage	Symphytum, Chamomilla, Filipendula, peptic ulcer	Scutellaria protruding bleeding hemorrhoids
Clymer	BHP	Priest
<b>Geranium 2 tsp</b>	<b>Glycyrrhiza</b>	<b>Hamamelis</b>
Baptisia 1 tsp ground roots as tea typhoid fever with excess discharge	Taraxacum leaf Addison's disease	Ulmus diarrhea, dysentery
Clymer	BHP	Priest
<b>Geranium 20-40 gtt</b>	<b>Grindelia</b>	<b>Hamamelis 10-40 gtt</b>
Calendula 5-40 gtt Hydrastis 7-12 gtt; ; topical, use non alcoholic tincture wet dressings; tampon applied to cervix	Lobelia, Glycyrrhiza asthma, bronchitis	Hydrastis 5-40 gtt Rubus idaeus 5-40 gtt nausea, diarrhea, urinary inflammation, nervine tonic, mucous membrane tonic
Clymer	BHP	Clymer
<b>Geranium mac</b>	<b>Grindelia 2</b>	<b>Hamamelis 10-40 gtt</b>
Eupatorium perf coryza with sneezing	Glycyrrhiza 2, Ligusticum 1 bronchitis	Rubus idaeus 7-10 drops Hydrastis 7-12 drops urethral irritation, kidney infections, chronic dysentery, hemorrhages
Clymer	Bergner	Clymer
<b>Glycyrrhiza</b>	<b>Grindelia</b>	<b>Humulus</b>
Ceanothus Asclepias Symphytum Marrubium Inula Lobelia dry irritable cough	Verbascum hay fever, asthma	Aralia Viburnum op chronic bronchitis, loose with free expectoration
Cook	Priest	Clymer
<b>Glycyrrhiza</b>	<b>Hamamelis</b>	<b>Humulus</b>
	Agrimonia, Quercus diarrhea	Chamaelirium nervous dyspepsia
	BHP	BHP
	<b>Hamamelis</b>	
	Calendula protruding bleeding hemorrhoids; locally vulval	

## Herbal Formulation in the Physiomedicalist Tradition

<b>Humulus</b> hepatic tonics nervous exhaustion Priest		Cook		BHP
<b>Humulus</b> Passiflora insomnia Cook	<b>Hydrastis</b> Capsicum topical for ulcer Cook		<b>Hydrastis</b> Gentiana Collonsonia portal congestion Priest	
<b>Humulus</b> Valeriana insomnia BHP	<b>Hydrastis</b> Commiphora, Echinacea, Verbascum, Eu ear drops BHP		<b>Hydrastis</b> Geranium catarrhal gastritis, diarrhea, dysentery Priest	
<b>Humulus</b> Valeriana hysteria, dysmenorrhea Priest	<b>Hydrastis</b> Echinacea Baptisia eczema from blood condition Priest		<b>Hydrastis</b> Hamamelis and Euphrasia eye wash BHP	
<b>Humulus</b> Valeriana nervous insomnia Priest	<b>Hydrastis</b> Echinacea gastric and duodenal ulcers Priest		<b>Hydrastis</b> Helonias tonic Cook	
<b>Humulus 20-40 gtt</b> Matricaria Lobelia 3-9 gtt;poultice sprains, bruises, swellings Clymer	<b>Hydrastis</b> Eupatorium perf Capsicum irritable dysepsia or biliouness Cook		<b>Hydrastis</b> hepatic herbs portal Priest	
<b>Hydrastis</b> Althea rosa bladder and urethra Cook	<b>Hydrastis</b> Eupatorium purp Arctium seed irritable bladder and urethra Cook		<b>Hydrastis</b> Iris Chelone uterine fibroids Priest	
<b>Hydrastis</b> Aralia lungs Cook	<b>Hydrastis</b> Eupatorium purp spermatorrhea, prostatitis, uti infection etc Cook		<b>Hydrastis</b> Juglans gastrointestinal Priest	
<b>Hydrastis</b> Arctium for tonic effects Priest	<b>Hydrastis</b> Eupatorium purp bladder and urethra Cook		<b>Hydrastis</b> Leonurus nervous palpitations Cook	
<b>Hydrastis</b> Calendula Althea (cold water infusion) gastroenteritis, peptic ulcer, cystitis, urethritis Priest	<b>Hydrastis</b> Euphrasia local for Rheumatic choroiditis, corneal opacity Priest		<b>Hydrastis</b> Lobelia topical for ulcer Cook	
<b>Hydrastis</b> Capsicum gargle	<b>Hydrastis</b> Filipendula and Chamomilla stomach conditions		<b>Hydrastis</b> Mitchella gynecological Priest	
			<b>Hydrastis</b> Passiflora and Hamamelis	

## **Herbal Formulation in the Physiomedicalist Tradition**

pruritis		ulceration of the cervix, relaxed vagina	Ceanothus 10-20 gtt Chionanthus 3-7 liver problems, with dyspepsia
	BHP	Clymer	Clymer
<b>Hydrastis</b>		<b>Hydrastis 1/2 oz</b>	<b>Hydrastis 7-10 gtt</b>
Prunus		Scutellaria 1/2 oz	Chelone 10-20 gtt
lungs		steep in 1 pt boiling water, add 1/4 tsp tincture of Commiphora	Chionanthus 5-10 gtt jaundice, malnutrition
	Cook	diphtheria, malignant sore throat	Clymer
<b>Hydrastis</b>		Clymer	<b>Hydrastis 7-10 gtt</b>
Rheum off		<b>Hydrastis 1/2 oz tincture</b>	Chionanthus 3-7 gtt
Leptandra		Commiphora m 10 gtt	malignancies of stomach and bowels, uterus; chronic conditions of liver and spleen
functional dyspepsia		as a spray	Clymer
	Priest	diphtheria, malignant sore throat	<b>Hydrastis 7-10 gtt</b>
<b>Hydrastis</b>		Clymer	Scutellaria 3-15 gtt
Rubus		<b>Hydrastis 2 oz; syrup</b>	Capsicum 2-4 gtt
uterine hemorrhage, menorrhagia		Zea 4 oz	weakness of the heart
	Priest	Taraxacum 8 oz	Clymer
<b>Hydrastis</b>		kidney or bladder irritation, stones	<b>Hydrastis 7-12 drops</b>
Scutellaria		Clymer	Rubus idaeus 7-10 drops
nervous palpitations		<b>Hydrastis 3 gtt</b>	Hamamelis 10-40 gtt
	Cook	Zanthoxylum 5-10 gtt	urethral irritation, kidney infections, chronic dysentery, hemorrhages
<b>Hydrastis</b>		Capsicum 1 gtt	Clymer
Sticta (lobaria)		chronic intestinal conditions	<b>Hydrastis 7-12 gtt</b>
Lycopus		Clymer	Calendula 5-40 gtt
bloody mucous from cough		<b>Hydrastis 5-40 gtt</b>	Geranium 20-40 gtt; topical, use non alcoholic tincture
	Priest	Hamamelis 10-40 gtt	wet dressings; tampon applied to cervix
<b>Hydrastis</b>		Rubus idaeus 5-40 gtt	Clymer
Symphytum		nausea, diarrhea, urinary inflammation, nervine tonic, mucous membrane tonic	<b>Hydrastis 8 gtt</b>
respiratory		Clymer	Chionanthus 6
	Priest	<b>Hydrastis 7-10 gtt</b>	Populus 4-8
<b>Hydrastis</b>		Apocynum andros 5-10 gtt	headache
Symphytum		Chionanthus 3-7 gtt	Clymer
gastric and duodenal ulcer		jaundice, gallstones, sluggish liver	<b>Hydrastis 8-12 gtt</b>
	Priest	Clymer	Arctium 10-20 gtt
<b>Hydrastis 1 ounce</b>		<b>Hydrastis 7-10 gtt</b>	Barosma 10-15 gtt
Nymphaea 1 oz		Berberis 3-7 gtt	skin dz; scrofula
Calendula 1 ounce; 1/4 oz		Capsicum 2-4 gtt	Clymer
Commiphora; non alcoholic tincture		deadly stage tuberculosis	<b>Hydrastis 8-12 gtt</b>
sore breasts		Clymer	Gentiana 3-10 gtt
	Clymer	<b>Hydrastis 7-10 gtt</b>	Lobelia 3-8 gtt
<b>Hydrastis 1 ounce</b>			
Nymphaea 1 oz			
Calendula 1 ounce; non alcoholic tincture			
leukorrhoea; tampon application for prolapse,			

## Herbal Formulation in the Physiomedicalist Tradition

atonic states of gi tract Clymer	Cimicifuga Glycyrrhiza cough	adds alterative effect Priest
<b>Hydrastis 8-15 gtt</b> Scutellaria 10-15 gtt diphtheria, malignant sore throat Clymer	<b>Inula</b> Lycopus Symphytum phthisis with free expectoration Priest	<b>Iris</b> Hydrastis Chelone uterine fibroids Priest
<b>Hypericum</b> Calendula mouthwash for periodontal disease BHP	<b>Inula</b> Marrubium cough Cook	<b>Iris</b> Phytolacca glandular alterative Cook
<b>Hypericum</b> Gentiana liver corrector Clymer	<b>Inula</b> Marrubium colds, bronchitis, catarrh Priest	<b>Iris</b> Rumex glandular alterative Cook
<b>Hypericum</b> Hamamelis water lotion for hemorrhoids BHP	<b>Inula</b> Marrubium, Tussilago, Asclepias, or cough BHP	<b>Iris</b> Rumex, Trifolium, Phytolacca, and St skin disease BHP
<b>Inula</b> Aralia rac Symphytum, Sanguinaria Marrubium Prunus equal parts Compound Syrup of Spikehard, expectorant Cook	<b>Inula</b> Sticta chronic cough in elderly Priest	<b>Iris</b> Scrophularia Phytolacca mammary tumors and nodosities, enlarged glands Priest
<b>Inula</b> Caulophyllum Matricaria uterine languor Cook	<b>Inula</b> Symphytum chronic bronchitis, tuberculosis Priest	<b>Iris</b> Smilax glandular alterative Cook
<b>Inula</b> Ceanothus Asclepias Symphytum Marrubium Glycyrrhiza Lobelia dry irritable cough Cook	<b>Inula</b> Trifolium pertussis Priest	<b>Juniperus</b> Althea Arctostaphylos dropsy from renal suppression Priest
<b>Inula</b> Eupatorium perf Asclepias pulmonary inflammation, catarrh, with cough and chest soreness Priest	<b>Inula</b> Tussilago Verbascum chronic pulmonary conditions Priest	<b>Juniperus</b> Aphanes cystitis BHP
<b>Inula</b> Lobelia	<b>Iris</b> Arctium glandular alterative Cook	<b>Juniperus</b> Barosma dropsical conditions, gravel Priest
	<b>Iris</b> hepatic herbs	<b>Juniperus</b> Eupatorium purp diuretic

## Herbal Formulation in the Physiomedicalist Tradition

<p><b>Lactuca</b> Cook Dioscorea and Cimicifuga rheumatic pains BHP</p>	<p>atonic uterus, ovarian neuralgia, leucorrhoea, dysmenorrhoea Priest</p>	<p>Shook <b>Leonurus 8-15</b> Anemone 1-3 gtt Mitchella 8-15 menstrual headache Clymer</p>
<p><b>Lactuca</b> Prunus irritable coughs BHP</p>	<p><b>Leonurus</b> Convallaria Melissa cardiac and vegetative neuroses Priest</p>	<p><b>Lobelia</b> Abies balsamea Abies balsamea asthma Cook</p>
<p><b>Lavandula</b> Rosamarinus, Avena, Cola depression BHP</p>	<p><b>Leonurus</b> Convallaria chf Priest</p>	<p><b>Lobelia</b> Althea sugar bronchial irritation Cook</p>
<p><b>Lavandula</b> Leonurus nerves Cook</p>	<p><b>Leonurus</b> Crataegus infusion organic and functional heart disorders Shook</p>	<p><b>Lobelia</b> Asclepias Stillingia bronchial catarh Clymer</p>
<p><b>Leonurus</b> alteratives chlorotic hysteria, palpitation Priest</p>	<p><b>Leonurus</b> Hydrastis nervous palpitations Cook</p>	<p><b>Lobelia</b> Asclepias lung affections Cook</p>
<p><b>Leonurus</b> Angelica Dioscorea Coriander Pimpinella Anethum Carminative drops Cook</p>	<p><b>Leonurus</b> Lavandula nerves Cook</p>	<p><b>Lobelia</b> astringents hemorrhage Cook</p>
<p><b>Leonurus</b> Angelica arch uterus Cook</p>	<p><b>Leonurus</b> Lycopus hyperthyroid cardiac reactions Priest</p>	<p><b>Lobelia</b> Capsicum liniment; bruises, arthritis Cook</p>
<p><b>Leonurus</b> Matricaria nervous dyspepsia and sick headache during the period Clymer</p>	<p><b>Leonurus</b> Senecio Mitchella anemic nervousness, insomnia Priest</p>	<p><b>Lobelia</b> Capsicum internal or linement Cook</p>
<p><b>Leonurus</b> Caulophyllum Zingiber premenstrual tension, congestive amenorrhoea or dysmenorrhoea Priest</p>	<p><b>Leonurus 10-20 gtt</b> Arctium 10-40 gtt Cimicifuga 2-15 gtt; Dioscorea 20-40 gtt Rheumatism in the joints Clymer</p>	<p><b>Lobelia</b> Capsicum linement pp Cook, Priest</p>
<p><b>Leonurus</b> Cimicifuga Caulophyllum</p>	<p><b>Leonurus 2</b> Crataegus 1 cardiac</p>	<p><b>Lobelia</b> Capsicum uterine and ovarian congestion Priest</p>
		<p><b>Lobelia</b></p>

## *Herbal Formulation in the Physiomedicalist Tradition*

Capsicum, Grindelia, Ephedra asthma		Lyle	Myrica 10-20 gtt emetic
BHP	<b>Lobelia</b>	Zingiber fever	Clymer
<b>Lobelia</b>		Cook	<b>Lobelia 3-5 gtt</b>
Caulophyllum			Asclepias 8-10 gtt
Capsicum	<b>Lobelia (acet syrup)</b>		Nepeta 10-15 gtt
convulsions	Trifolium		relaxant for fever
Cook	pertussis		Clymer
<b>Lobelia</b>		Priest	<b>Lobelia 3-8 gtt</b>
Caulophyllum	<b>Lobelia (vinegar tincture)</b>		Gentiana 3-10 gtt
convulsions	Abies balsamea		Hydrastis 8-12 gtt
Priest	Pimpinella		atonic states of gi tract
<b>Lobelia</b>	asthma; syrup with honey		Clymer
Ceanothus		Cook	<b>Lobelia 3-9 gtt</b>
Asclepias Symphytum	<b>Lobelia 1</b>		Matricaria
Marrubium Glycyrrhiza Inula	Nepeta 2		Humulus 20-40 gtt; poultice
dry irritable cough	Zingiber 1 Pinus can 2; 4 dr pwdr to 3 pints water; enema		sprains, bruises, swellings
Cook	hypertension, intestinal obstruction, neurasthenia		Clymer
<b>Lobelia</b>		Priest	<b>Lobelia 10-20 gtt</b>
Commiphora	<b>Lobelia 10-15 gtt</b>		Viburnum 5-10 gtt 5-10 gtt
Capsicum ( a little )	Capsicum 2-4 gtt		asthma
topical on ulcers	angina		Clymer
Cook		Clymer	<b>Mahonia</b>
<b>Lobelia</b>	<b>Lobelia 15-50 gtt</b>		Arctium or Rumex
Hydrastis	Asclepias 30-60 gtt		skin conditions
topical for ulcer	Zingiber 15-50		BHP
Cook	croup		<b>Mahonia</b>
<b>Lobelia</b>		Clymer	Chamomilla, Acorus, Veronicastrum
Inula	<b>Lobelia 16</b>		stomach and gall-bladder disease
Cimicifuga Glycyrrhiza	Capsicum tr 16		BHP
cough	Wormwood oil, Rosemary oil, Spearmint oil, aa 1 oz		<b>Mahonia</b>
Cook		Lyle	Rumex
<b>Lobelia</b>	<b>Lobelia 3-10</b>		Arctium
Sanguinaria	Asclepias 20-30		eczema, herpes, psoriasis, acne
vinegar plus gently stimulating diaphoretics	Echinacea ang 2-30		Priest
membranous croup	peritonitis		<b>Marrubium</b>
Lyle		Clymer	Aralia rac
<b>Lobelia</b>	<b>Lobelia 3-10 gtt</b>		Inula Symphytum Sanguinaria Prunus equal parts
Ulmus	Gentiana 3-10 gtt		Compound Syrup of Spikehard, expectorant
Althea	Capsicum 1-3 gtt		Cook
inflamed wounds, ulcers	ague		<b>Marrubium</b>
Priest		Clymer	Ceanothus
<b>Lobelia</b>	<b>Lobelia 3-10 gtt</b>		
vinegar			
decreases emetic properties			

## *Herbal Formulation in the Physiomedicalist Tradition*

Asclepias Symphytum Glycyrrhiza Inula Lobelia dry irritable cough Cook	<b>Matricaria</b> Mitchella 5-10 gtt nervous irritation and false pains in later pregnancy Clymer	nervous dyspepsia BHP
<b>Marrubium</b> Inula cough Cook	<b>Matricaria 10-20 gtt</b> Valeriana 10-20 gtt extreme nervousness where the stomach is at fault Clymer	<b>Melissa</b> Leonurus Convallaria cardiac and vegetative neuroses Priest
<b>Marrubium</b> Inula colds, bronchitis, catarrh Priest	<b>Matricaria 15-30 gtt</b> Lobelia 3-9 gtt Humulus 20-40 gtt; poultice sprains, bruises, swellings Clymer	<b>Mentha</b> Achillea acute colds, influenza Priest
<b>Marrubium</b> Prunus colds, bronchitis, catarrh Priest	<b>Matricaria</b> Althea, Filipendula, Humulus nervous dyspepsia BHP	<b>Mentha</b> Pimpinella combines well BHP
<b>Marrubium</b> Symphytum Prunus Aralia rac cough syrup Clymer	<b>Matricaria</b> Calendula infusion eczema Clymer	<b>Mentha</b> Sambucus, Achillea, or Eupatorium pe influenza BHP
<b>Marrubium</b> Zingiber whooping cough BHP	<b>Matricaria</b> Nepeta restlessness, nervous irritation Priest	<b>Mentha pulegium</b> Chamaelirium, Achillea, Quassia acute amenorrhoea BHP
<b>Marrubium 5-40 gtt</b> Asclepias 20-45 Scutellaria 2-15 deep seated colds with cough, with expectoration Clymer	<b>Matricaria</b> Valeriana, Passiflora, Humulus restlessness BHP	<b>Mentha pulegium</b> Sambucus, Millefolium common cold BHP
<b>Matricaria</b> acetous infusion inhalant for colds; hot poultice for congestions Lyle	<b>Matricaria</b> Zingiber Alpinia suppressed menstruation Priest	<b>Mitchella</b> Matricaria nervous irritation and false pains in later pregnancy Clymer
<b>Matricaria</b> Inula Caulophyllum uterine languor Cook	<b>Matricaria</b> Zingiber Alpinia suppressed menstruation Priest	<b>Mitchella</b> Arctostaphylos atonic leucorrhoea, profuse menstruation, uterine prolapse, vaginal laxity Priest
<b>Matricaria</b> Leonurus nervous dyspepsia and sick headache during the period Clymer	<b>Medicago</b> Chondrus, Ulmus convalescent debility BHP	<b>Mitchella</b> Avena neurasthenia, irritability Priest
	<b>Melissa</b> Chamomilla, Humulus, Filipendula	<b>Mitchella</b> Caulophyllum to facilitate parturition

## Herbal Formulation in the Physiomedicalist Tradition

<p><b>Mitchella</b> Dioscorea Viburnum op nervousness, restlessness, pains of pregnancy</p>	<p>Priest</p>	<p>passive hemorrhage from internal organs; antiseptic gargle</p>	<p>Cook</p>
<p><b>Mitchella</b> Eupatorium purp uterine or vaginal irritation, general pelvic weakness</p>	<p>Priest</p>	<p><b>Myrica</b> Capsicum, Zingiber, Eugenia circulatory stimulant, diaphoretic</p>	<p>Cook</p>
<p><b>Mitchella</b> Helonias enlarged atonic uterus</p>	<p>Priest</p>	<p><b>Myrica</b> Prunus decoction chronic diarrhea</p>	<p>BHP</p>
<p><b>Mitchella</b> Hydrastis gynecological</p>	<p>Priest</p>	<p><b>Myrica</b> Quercus diarrhea</p>	<p>Priest</p>
<p><b>Mitchella</b> Leonurus Senecio anemic nervousness, insomnia</p>	<p>Priest</p>	<p><b>Myrica</b> Rubus uterine hemorrhage, menorrhagia</p>	<p>BHP</p>
<p><b>Mitchella</b> Pulsatilla dysmenorrhea</p>	<p>Priest</p>	<p><b>Myrica 10-20 gtt</b> Lobelia 3-10 gtt emetic</p>	<p>Priest</p>
<p><b>Mitchella</b> Rubus partus preparator</p>	<p>BHP</p>	<p><b>Myrica 10-20 gtt</b> Zingiber 8-15 gtt circulatory stimulant and diaphoretic</p>	<p>Clymer</p>
<p><b>Mitchella 8-15</b> Anemone 1-3 gtt Leonurus 8-15 menstrual headache</p>	<p>Clymer</p>	<p><b>Myrica 10-40 gtt</b> Rubus strigosus 5-20 gtt uterine hemorrhage</p>	<p>Clymer</p>
<p><b>Myrica</b> Capsicum gargle</p>	<p>Cook</p>	<p><b>Myrica 13-30 gtt</b> Geranium 10-30 gtt Commiphora 2-4 gtt; local and oral hemorrhage</p>	<p>Clymer</p>
<p><b>Myrica</b> Capsicum</p>	<p>Cook</p>	<p><b>Myrica 4 oz</b> Capsicum 1 dram Zingiber 4 oz Pinus 1 oz Zanthoxylum 1 dram Composition powder</p>	<p>Cook</p>
		<p><b>Nepeta</b> Achillea, Sambucus, Capsicum, Eupatorium common cold</p>	<p>Cook</p>
		<p><b>Nepeta</b> Dioscorea infusion, enema colic, abdominal cramp, colonic pain</p>	<p>BHP</p>
		<p><b>Nepeta</b> Matricaria restlessness, nervous irritation</p>	<p>Priest</p>
		<p><b>Nepeta</b> Mentha children's colic</p>	<p>Priest</p>
		<p><b>Nepeta</b> Zingiber childhood fevers</p>	<p>BHP</p>
		<p><b>Nepeta 10-15 gtt</b> Asclepias 8-10 gtt Lobelia 3-5 gtt relaxant for fever</p>	<p>Priest</p>
		<p><b>Nepeta 2</b> Lobelia 1 Zingiber 1 Pinus can 2; 4 dr pwr to 3 pints water; enema hypertension, intestinal obstruction, neurasthenia</p>	<p>Clymer</p>
		<p><b>Nymphaea</b> Linum and Ulmus poultice in boils and abscesses</p>	<p>Priest</p>
		<p><b>Nymphaea</b> Quercus and Myrica diarrhea</p>	<p>BHP</p>
		<p><b>Nymphaea</b> Trillium and Geranium</p>	<p>BHP</p>



## **Herbal Formulation in the Physiomedicalist Tradition**

douche in leucorrhea BHP	Scutellaria 2-12 gtt insomnia, exhaustion; alcohol hangover Clymer	<b>Phytolacca</b> Hamamelis spray, inflamed sore throat Priest
<b>Nymphaea 1 oz</b> Hydrastis 1 ounce Calendula 1 ounce; 1/4 oz Commiphora; non alcoholic tincture sore breasts Clymer	<b>Passiflora 3-10 gtt</b> Drosera 2-5 gtt Stillingia 1-40 gtt whooping cough; spasmodic cough Clymer	<b>Phytolacca</b> Iris glandular alterative Cook
<b>Nymphaea 1 oz</b> Hydrastis 1 ounce Calendula 1 ounce; non alcoholic tincture leukorrhea; tampon application for prolapse, ulceration of the cervix, relaxed vagina Clymer	<b>Pedicularis</b> Scutellaria Valerian headache with tmj Snow	<b>Phytolacca</b> Ulmus poultice swollen glands Priest
<b>Paeonia</b> Verbena constant stress response bergner	<b>Phytolacca</b> Cimicifuga Zanthoxylum chronic Rheumatism, neuralgia Priest	<b>Phytolacca</b> Zanthoxylum chronic rheumatic conditions pp Priest
<b>Panax ginseng</b> Turnera and Serenoa glandular weakness BHP	<b>Phytolacca</b> Cimicifuga Rheumatism Cook	<b>Pimpinella</b> Lobelia (vinegar tincture) Abies balsamea asthma; syrup with honey Cook
<b>Passiflora</b> Humulus insomnia Cook	<b>Phytolacca</b> Commiphora oral and gargle Priest	<b>Pimpinella</b> Marrubium, Tussilago, Symplocarpus, bronchitis BHP
<b>Passiflora</b> Scutellaria insomnia Cook	<b>Phytolacca</b> Commiphora and Echinacea tonsillitis BHP	<b>Pimpinella</b> Mentha flatulent colic BHP
<b>Passiflora</b> Valeriana nerovus excitability Priest	<b>Phytolacca</b> Convallaria Echinacea endocarditis Priest	<b>Pimpinella</b> Prunus tracheitis BHP
<b>Passiflora</b> Valeriana and Humulus insomnia BHP	<b>Phytolacca</b> Galium and Iris lymphatic swellings BHP	<b>Pimpinella anisum</b> Angelica Dioscorea Leonurus Coriander Anethum Carminative drops Cook
<b>Passiflora 15-30 gtt</b> Solanum dulc 10-20 gtt narcotic nervine Clymer	<b>Phytolacca</b> Guaiacum and Zanthoxylum rheumatic conditions BHP	<b>Pimpinella anisum</b> Apocynum Zingiber sluggish liver without irritability, wiry pulse, or piles
<b>Passiflora 15-40 gtt</b>		

## Herbal Formulation in the Physiomedicalist Tradition

<p style="text-align: right;">Cook</p> <p><b>Pinus 1 oz</b> Capsicum 1 dram Myrica 4 oz Zingiber 4 oz Zanthoxylum 1 dram Composition powder</p> <p style="text-align: right;">Cook</p> <p><b>Pinus can 2</b> Lobelia 1 Nepeta 2 Zingiber; 4 dr pwdr to 3 pints water; enema hypertension, intestinal obstruction, neurasthenia</p> <p style="text-align: right;">Priest</p> <p><b>Pinus spp</b> Prunus Sassafras Aralia rac drying expectorant</p> <p style="text-align: right;">Clymer</p> <p><b>Piscidia</b> Humulus, Valeriana pain</p> <p style="text-align: right;">BHP</p> <p><b>Piscidia</b> Viburnum prunifolium dysmenorrhea</p> <p style="text-align: right;">BHP</p> <p><b>Piscidia 1-20 gtt</b> Viburnum op. 5-15 gtt dysmenorrhea with insomnia</p> <p style="text-align: right;">Clymer</p> <p><b>Plantago</b> Symphytum gastric hemorrhage, hemorrhoids</p> <p style="text-align: right;">BHP</p> <p><b>Populus</b> Berberis v Prunus bitter tonic (Thomson)</p> <p style="text-align: right;">Cook</p> <p><b>Populus</b> Berberis v Prunus; as syrup stomachic and laxative</p> <p style="text-align: right;">Clymer</p>	<p><b>Populus</b> Capsella uterine, vaginal, anal weakness</p> <p style="text-align: right;">Priest</p> <p><b>Populus</b> Chelone glabra Berberis v bitter tonic</p> <p style="text-align: right;">Clymer</p> <p><b>Populus (buds)</b> Pinus, Prunus cough syrup</p> <p style="text-align: right;">BHP</p> <p><b>Populus 4-8</b> Hydrastis 8 gtt Chionanthus 6 headache</p> <p style="text-align: right;">Clymer</p> <p><b>Populus alba</b> Berberis and Chelone anorexia with digestive weakness</p> <p style="text-align: right;">BHP</p> <p><b>Populus alba</b> Cimicifuga and Menyanthes rheumatoid arthritis</p> <p style="text-align: right;">BHP</p> <p><b>Populus trem</b> Arctostaphylos uterine, vaginal, anal weakness</p> <p style="text-align: right;">Priest</p> <p><b>Populus trem 10-15 gtt</b> Chimaphila 2-15 gtt dropsy</p> <p style="text-align: right;">Clymer</p> <p><b>Populus trem 2-15 gtt</b> Arctostaphylos 10-20 gtt uti</p> <p style="text-align: right;">Clymer</p> <p><b>Populus trem 2-15 gtt</b> Arctostaphylos 10-20 gtt uterine, vaginal, anal weakness</p> <p style="text-align: right;">Clymer</p>	<p><b>Prunus</b> Althea, Filipendula, Chamomilla nervous dyspepsia</p> <p style="text-align: right;">BHP</p> <p><b>Prunus</b> Aralia rac Inula Symphytum Sanguinaria Marrubium equal parts Compound Syrup of Spikehard, expectorant</p> <p style="text-align: right;">Cook</p> <p><b>Prunus</b> Hydrastis lungs</p> <p style="text-align: right;">Cook</p> <p><b>Prunus</b> Lactuca, Verbascum, Inula, Humulus nervous cough</p> <p style="text-align: right;">BHP</p> <p><b>7Prunus</b> Marrubium colds, bronchitis, catarrh</p> <p style="text-align: right;">Priest</p> <p><b>Prunus</b> Myrica decoction chronic diarrhea</p> <p style="text-align: right;">Priest</p> <p><b>Prunus</b> Pinus spp Sassafras Aralia rac drying expectorant</p> <p style="text-align: right;">Clymer</p> <p><b>Prunus</b> Populus Berberis v bitter tonic (Thomson)</p> <p style="text-align: right;">Cook</p> <p><b>Prunus</b> Populus Berberis v; as syrup stomachic and laxative</p> <p style="text-align: right;">Clymer</p> <p><b>Prunus</b> Symphytum</p>
--	---	---

## **Herbal Formulation in the Physiomedicalist Tradition**

Marrubium Aralia rac cough syrup Clymer	<b>Rubus</b> Hydrastis uterine hemorrhage, menorrhagia Priest	Mahonia Arctium eczema, herpes, psoriasis, acne Priest
<b>Prunus</b> Tussilago, Marrubium, Squill pertussis BHP	<b>Rubus</b> Myrica uterine hemorrhage, menorrhagia Priest	<b>Rumex</b> Taraxacum skin disease BHP
<b>Prunus 10-20 gtt</b> Viburnum op 8-10 gtt cough of croup Clymer	<b>Rubus</b> Salvia wash or gargle BHP	<b>Rumex</b> Taraxacum eczema, psoriasis, urticaria Priest
<b>Prunus 2</b> Glycyrrhiza 2 Lobelia 1 dry irritable cough Bergner	<b>Rubus idaeus 5-40 gtt</b> Hamamelis 10-40 gtt Hydrastis 5-40 gtt nausea, diarrhea, urinary inflammation, nervine tonic, mucous membrane tonic Clymer	<b>Rumex</b> Trifolium Arctium chronic skin eruptions Priest
<b>Rosmarinus</b> Salvia, Gelsemium, and Valeriana migraine BHP	<b>Rubus idaeus 7-10 drops</b> Hydrastis 7-12 drops Hamamelis 10-40 gtt urethral irritation, kidney infections, chronic dysentery, hemorrhages Clymer	<b>Salix</b> Cimicifuga, Apium and Guaiaicum rheumatoid arthritis BHP
<b>Rosmarinus 10-20 gtt</b> Sassafras 14-30 systemic cleanser Clymer	<b>Rubus strigosus 5-20 gtt</b> Myrica 10-40 gtt uterine hemorrhage Clymer	<b>Salvia</b> Commiphora sore ulcerated throat Priest
<b>Rosmarinus</b> Lavandula headache, stuck Liver chi Bergner	<b>Rumex</b> Arctium eczema, psoriasis, dermatitis, prefer seeds Priest	<b>Salvia</b> Filipendula, Chamomilla dyspepsia BHP
<b>Rubus</b> acetum dilute acetum, gargle for sore throat and hoarseness Priest	<b>Rumex</b> Chimaphila Stillingia Gentiana lymphatic Cook	<b>Salvia</b> Potentilla, Populus bals throat conditions BHP
<b>Rubus</b> Agrimonia and Geum diarrhea BHP	<b>Rumex</b> Iris glandular alterative Cook	<b>Salvia</b> Sambucus weakening night sweats Priest
<b>Rubus</b> Euphrasia eyewash BHP	<b>Rumex</b> Rumex acute colds, influenza	<b>Sambucus</b> Achillea Anemone colds, fevers, w ith dry hot skin Priest
<b>Rubus</b> Hamamelis lotion for ophthalmia Priest		<b>Sambucus</b> Achillea acute colds, influenza

## Herbal Formulation in the Physiomedicalist Tradition

<p>Priest</p> <p><b>Sambucus</b> Achillea, Hyssopus fevers, catarrh BHP</p> <p><b>Sambucus</b> alteratives skin eruptions Priest</p> <p><b>Sambucus</b> Mentha colds, influenza BHP</p> <p><b>Sambucus</b> pulstilla chronic nasal catarrh, sinusitis Priest</p> <p><b>Sambucus</b> Salvia weakening night sweats Priest</p> <p><b>Sambucus</b> Trifolium dry coryza, spasmodic croup Priest</p> <p><b>Sambucus</b> Verbascum Trifolium paroxysmal laryngeal cough Priest</p> <p><b>Sassafras</b> Pinus spp Prunus Aralia rac drying expectorant Clymer</p> <p><b>Sassafras 14-30</b> rosmarinus 10-20 gtt systemic cleanser Clymer</p> <p><b>Scutellaria</b> Anemone convulsions Cook</p> <p><b>Scutellaria</b> Anemone</p>	<p>chorea, hysteria, agitation, epeleptiform seizures Priest</p> <p><b>Scutellaria</b> Avena neurasthenia and neuroses Priest</p> <p><b>Scutellaria</b> Betonica off Cimicifuga Rheumatism, sciatica chronic Priest</p> <p><b>Scutellaria</b> Caulophyllum restlessness during pregnancy Priest</p> <p><b>Scutellaria</b> Cimicifuga convulsions Cook</p> <p><b>Scutellaria</b> Cimicifuga chorea, hysteria, agitation, epeleptiform seizures Priest</p> <p><b>Scutellaria</b> Crataegus Viscum Tilia hypertension Priest</p> <p><b>Scutellaria</b> Hamamelis protruding bleeding hemorrhoids Priest</p> <p><b>Scutellaria</b> Humulus or Passiflora nervousness, insomnia BHP</p> <p><b>Scutellaria</b> Hydrastis nervous palpitations Cook</p> <p><b>Scutellaria</b> Passiflora insomnia</p>	<p>Cook</p> <p><b>Scutellaria</b> Turnera anxiety neurosis Priest</p> <p><b>Scutellaria</b> Valerian Pedicularis headache with tmj PB notes</p> <p><b>Scutellaria</b> Verbena hast Turnera nervine tonic, amenorrhea, dysmenorrhea, weak stomach, Shook</p> <p><b>Scutellaria</b> Verbena hast Turnera nervine tonic Shook</p> <p><b>Scutellaria 1/2 oz</b> Hydrastis 1/2 oz steep in 1 pt boiling water, add 1/4 tsp tincture of Commiphora diphtheria, malignant sore throat Clymer</p> <p><b>Scutellaria 12-15 gtt</b> Eupatorium perf 15-30 gtt Asclepias tub 20-40 gtt influenza, colds, fever Clymer</p> <p><b>Scutellaria 12-15 gtt</b> Eupatorium perf 15-30 gtt Asclepias tub 20-40 gtt add Capsicum influenza, colds, fever; chills predominant Clymer</p> <p><b>Scutellaria 12-15 gtt; add Lobel</b> Asclepias tub 20-40 gtt Eupatorium perf 15-30 gtt influenza, colds, fever; if relaxant effect is needed Clymer</p> <p><b>Scutellaria 15-30 gtt</b></p>
--	--	--

## **Herbal Formulation in the Physiomedicalist Tradition**

Echinacea ang 15-30 snakebite, hydrophobia Clymer	<b>Serenoa 5-20</b> Triticum 5-15 gtt Chionanthus 3-7 enlarged prostate Clymer	Scutellaria nervous headache BHP
<b>Scutellaria 2-12 gtt</b> Passiflora 15-40 gtt insomnia, exhaustion; alcohol hangover Clymer	<b>Smilax</b> Arctium and Rumex skin afflictions BHP	<b>Stachys elix 1.5 oz</b> Agrimonia eup 1.5 Aralia rac 1 peritonitis; 1 tsp per 2 hours Lyle
<b>Scutellaria 2-15</b> Marrubium 5-40 gtt Asclepias 20-45 deep seated colds with cough, with expectoration Clymer	<b>Smilax</b> Iris glandular alterative Cook	<b>Stachys elix 1.5 oz</b> Cimicifuga 1.5 oz Helonias 1 oz; Scutellaria 1 oz sciatica; 1 tsp per 2-3 hours with hot sponge bath to affected parts Lyle
<b>Scutellaria 2-20 gtt</b> Asclepias 15-40 gtt pneumonia, acute pleurisy Clymer	<b>Solanum dulc</b> Stillingia Rumex glandular alterative Clymer	<b>Stillingia</b> Arctium, Rumex, Iris, Fumaria skin eruptions BHP
<b>Scutellaria 2-5 gtt</b> Arctium 10-20 gtt Echinacea 20-40 gtt scarlatina, exanthema, typhoid fever; with moist skin Clymer	<b>Solanum dulc</b> Verbena off whooping cough Clymer	<b>Stillingia</b> Chimaphila Rumex Gentiana lymphatic Cook
<b>Scutellaria 3-15 gtt</b> Hydrastis 7-10 gtt Capsicum 2-4 gtt weakness of the heart Clymer	<b>Solanum dulc 10-15 gtt</b> Stillingia 10-20 gtt glandular conditions with irritation Clymer	<b>Stillingia</b> Lobelia Asclepias bronchial catarh Clymer
<b>Scutellaria 10-15 gtt</b> Hydrastis 8-15 gtt diphtheria, malignant sore throat Clymer	<b>Solanum dulc 10-20 gtt</b> Passiflora 15-30 gtt narcotic nerveine Clymer	<b>Stillingia</b> Lobelia, Sanguinaria, Pimpinella, Eupatorium laryngitis, bronchitis BHP
<b>Serenoa</b> Equisetum and hydrangea prostatic hypertrophy BHP	<b>Solidago</b> Trifolium pharyngeal infection, inflammation Priest	<b>Stillingia 10-20 gtt</b> Solanum dulc 10-15 gtt glandular conditions with irritation Clymer
<b>Serenoa</b> Senecio atony of pelvic organs Priest	<b>Stachys</b> Cola neurasthenia, melancholia Priest	<b>Stillingia 1-40 gtt</b> Drosera 2-5 gtt Passiflora 3-10 gtt whooping cough; spasmodic cough Clymer
<b>Serenoa</b> Turnera and Cola general debility BHP	<b>Stachys off</b> Cimicifuga Scutellaria Rheumatism, sciatica chronic Priest	<b>Symphytum</b> Althea
	<b>Stachys</b>	

## Herbal Formulation in the Physiomedicalist Tradition

topical		Priest	<b>Tilia</b>
	BHP		Crataegus
<b>Symphytum</b>		<b>Symphytum</b>	Viscum Scutellaria
Calendula		Prunus	hypertension
bloody cough or vomit		Marrubium Aralia rac	Priest
	Priest	cough syrup	
		Clymer	<b>Tilia</b>
<b>Symphytum</b>		<b>Taraxacum</b>	Crataegus
Ceanothus		Chamomilla	hypertension
Asclepias Marrubium,		anorexia, stomach complaints	BHP
Glycyrrhiza, Inula, Lobelia		BHP	<b>Tilia</b>
dry irritable cough		<b>Taraxacum</b>	Humulus
	Cook	Fragaria spp	neurosis
		Arctium Rheum (small	BHP
<b>Symphytum</b>		amount)	<b>Tilia</b>
Equisetum		eczema	Sambucus
Commiphora; compress		Clymer	common cold
old sores with foul smelling			BHP
pus		<b>Taraxacum</b>	<b>Tilia</b>
	Clymer	Juglans cin.	Viscum
<b>Symphytum</b>		skin eruptions from faulty	Crataegus
Filipendula and/or Althea		elimination	congestive headache
gastric ulcer		Priest	hypertension
	BHP	<b>Taraxacum</b>	Priest
<b>Symphytum</b>		Rumex	<b>Trifolium</b>
Hydrastis		eczema, psoriasis, urticaria	Arctium
respiratory		Priest	Rumex
	Priest	<b>Taraxacum 8 oz</b>	chronic skin eruptions
<b>Symphytum</b>		Zea 4 oz	Priest
Hydrastis		Hydrastis 2 oz; syrup	<b>Trifolium</b>
gastric and duodenal ulcer		kidney or bladder irritation,	Inula
	Priest	stones	pertussis
		Clymer	Priest
<b>Symphytum</b>		<b>Thuja</b>	<b>Trifolium</b>
Inula		Grindelia or Lobelia	Lobelia (acet syrup)
Aralia rac, Sanguinaria		pulmonary disease	pertussis
Marrubium Prunus equal parts		BHP	Priest
Compound Syrup of		<b>Thymus vulg</b>	<b>Trifolium</b>
Spikehard, expectorant		lobelia and ephedra	Lobelia, Ulmus, and Echinacea
	Cook	asthma	poultice for boils, lymphadenitis,
		BHP	and suppering wounds
<b>Symphytum</b>		<b>Thymus vulg</b>	BHP
Inula		Prunus, Urgenia, and	<b>Trifolium</b>
chronic bronchitis,		Marrubium	Phytolacca
tuberculosis		pertussis	Alpinia
	Priest	BHP	lymphatic swellings
<b>Symphytum</b>			Priest
Lycopus			
Inula			
phthisis with free			
expectoration			

## Herbal Formulation in the Physiomedicalist Tradition

<b>Trifolium</b>	chronic pulmonary conditions	Priest
Rumex		
skin diseases		
BHP		
<b>Trifolium</b>	<b>Tussilago</b>	<b>Valeriana</b>
Sambucus	Marrubium and Verbascum	Convallaria
dry coryza, spasmodic croup	irritating cough	nervous palpitations
Priest	BHP	Priest
<b>Trifolium</b>	<b>Ulmus</b>	<b>Valeriana</b>
Solidago	Althea	Dioscorea
pharyngeal infection, inflammation	Lobelia	Cimicifuga
Priest	inflamed wounds, ulcers	dysmenorrhea
	Priest	Priest
<b>Trifolium</b>	<b>Ulmus</b>	<b>Valeriana</b>
Sticta (lobaria)	Althea	Dioscorea
croup, pertussis	poultice	Convallaria
Priest	inflamed and gangrenouse wounds	nervous palpitations
	Priest	Cook
<b>Trifolium</b>	<b>Ulmus</b>	<b>Valeriana</b>
Verbascum	Althea	Dioscorea
Sambucus	digestive disturbances	Zingiber
paroxysmal laryngeal cough	BHP	colic
Priest		Priest
<b>Turnera</b>	<b>Ulmus</b>	<b>Valeriana</b>
Avena	Hamamelis	Dioscorea, Caulophyllum, and Pulsati
nervous exhaustion and debility from chronic disease	diarrhea, dysentery	dysmenorrhea
Priest	Priest	BHP
<b>Turnera</b>	<b>Ulmus</b>	<b>Valeriana</b>
Avena, Scutellaria, Cola, and/or Humulus	Linum	Humulus
nervous disorders	poultice	hysteria, dysmenorrhea
BHP	BHP	Priest
<b>Turnera</b>	<b>Ulmus</b>	<b>Valeriana</b>
Scutellaria	Phytolacca	Humulus
Verbena hast	poultice	nervous insomnia
nervine tonic, amenorrhea, dysmenorrhea, weak stomach,	swollen glands	Priest
Shook	Priest	
<b>Turnera</b>	<b>Urtica</b>	<b>Valeriana</b>
Scutellaria	Arctium	Humulus and Passiflora
anxiety neurosis	skin disease	insomnia
Priest	BHP	BHP
<b>Tussilago</b>	<b>Valerian</b>	<b>Valeriana</b>
Inula	Pedicularis	Passiflora
Verbascum	Scutellaria	nerovus excitability
	headache with tmj	Priest
	PB notes	
	<b>Valeriana</b>	<b>Valeriana</b>
	Anemone	Viburnum opulus
	menopause, scanty menses	cramps
		BHP

## **Herbal Formulation in the Physiomedicalist Tradition**

<b>Valeriana</b> Viscum and Scutellaria hysteria BHP	Scutellaria, Cypripedium, and Avena depressive states BHP	asthma Clymer
<b>Valeriana 10-20 gtt</b> Matricaria extreme nervousness where the stomach is at fault Clymer	<b>Verbena hast</b> Scutellaria Turnera nervine tonic, amenorrhea, dysmenorrhea, weak stomach, Shook	<b>Viburnum op</b> Anemone Prunus vasomotor instability, menopausal hot flashes, Priest
<b>Valeriana</b> Glycyrrhiza balances energy well Ross	<b>Verbena hast</b> Scutellaria Turnera nervine tonic Shook	<b>Viburnum op</b> Aralia Humulus chronic bronchitis, loose with free expectoration Clymer
<b>Verbascum</b> Anemone catarrhal otitis Priest	<b>Verbena off</b> Solanum dulc whooping cough Clymer	<b>Viburnum op</b> Dioscorea Mitchella nervousness, restlessness, pains of pregnancy Priest
<b>Verbascum</b> Grindelia hay fever, asthma Priest	<b>Viburnum</b> Dioscorea gi gu spasm Cook	<b>Viburnum op</b> Dioscorea colic pains and smapsm of gi and gu organs Priest
<b>Verbascum</b> Marrubium, Tussilago, and Lobelia acute or chronic bronchitis BHP	<b>Viburnum</b> Helonias Caulophyllum parturient, prevents miscarriage Priest	<b>Viburnum op</b> Senecio aur Caulophyllum anemic atonic dysmenorrhea Priest
<b>Verbascum</b> Sambucus Trifolium paroxysmal laryngeal cough Priest	<b>Viburnum</b> Helonias Dioscorea leucorrhea, menorrhagia, post partum hemorrhae Priest	<b>Viburnum op 4</b> Helonias 3; Dioscorea 5; Avena 6 Female nervine tonic Lyle
<b>Verbascum</b> Tussilago Inula chronic pulmonary conditions Priest	<b>Viburnum 5-10 gtt</b> Cimicifuga 1-10 gtt Actea alba 1-5 gtt; Senecio aureus 3-5 gtt; Caulophyllum 2-5 gtt; amonorrhea, dysmenorrhea, ovarian cramps, pelvic congestion and irritation Clymer	<b>Viburnum op 8-10 gtt</b> Prunus 10-20 gtt cough of croup Clymer
<b>Verbascum</b> vinegar fomentation for sprains and swellings Lyle	<b>Viburnum 5-10 gtt 5-10 gtt</b> Lobelia 10-20 gtt	<b>Viburnum op. 5-15 gtt</b> Piscidia 1-20 gtt dysmenorrhea with insomnia Clymer
<b>Verbena</b> Paeonia constant stress response bergner		<b>Viburnum opulus</b> Dioscorea and Zanthoxylum cramp



## **Herbal Formulation in the Physiomedicalist Tradition**

<p style="text-align: right;">BHP</p> <p><b>Viburnum opulus</b> Viburnum prunifolium and Chamaeliriu uterine pain, threatened miscarriage</p> <p style="text-align: right;">BHP</p> <p><b>Viburnum prun</b> Senecio atonic amenorrhea</p> <p style="text-align: right;">Priest</p> <p><b>Viburnum prunifolium</b> Hydrastis and Chamaelirium threatened miscarriage</p> <p style="text-align: right;">BHP</p> <p><b>Viola odorata</b> Galium combines well</p> <p style="text-align: right;">BHP</p> <p><b>Viscum</b> Crataegus Tilia congestive headache hypertension</p> <p style="text-align: right;">Priest</p> <p><b>Viscum</b> Crataegus Tilia Scutellaria hypertension</p> <p style="text-align: right;">Priest</p> <p><b>Viscum album</b> Crataegus and/or Tilia hypertension</p> <p style="text-align: right;">BHP</p> <p><b>Zanthoxylum</b> Cimicifuga tinnitus, rheumatism, neuralgia, sciatica</p> <p style="text-align: right;">Priest</p> <p><b>Zanthoxylum</b> Guaiacum, Menyanthes, and Capsicum Rheumatism</p> <p style="text-align: right;">BHP</p> <p><b>Zanthoxylum</b> Myrica, Zingiber</p>	<p style="text-align: right;">deficient circulation</p> <p style="text-align: right;">BHP</p> <p><b>Zanthoxylum</b> Phytolacca Cimicifuga chronic Rheumatism, neuralgia</p> <p style="text-align: right;">Priest</p> <p><b>Zanthoxylum</b> Phytolacca chronic rheumatic conditions pp</p> <p style="text-align: right;">Priest</p> <p><b>Zanthoxylum</b> Rhus arom Capsicum greater stimulation, quicker result</p> <p style="text-align: right;">Priest</p> <p><b>Zanthoxylum 1 dram</b> Capsicum 1 dram Myrica 4 oz Zingiber 4 oz Pinus 1 oz Composition powder</p> <p style="text-align: right;">Cook</p> <p><b>Zanthoxylum 5-10 gtt</b> Hydrastis 3 gtt Capsicum 1 gtt chronic intestinal conditions</p> <p style="text-align: right;">Clymer</p> <p><b>Zea</b> Agrimonia and Equisetum enuresis</p> <p style="text-align: right;">BHP</p> <p><b>Zea</b> Equisetum acute cystitis with structure, urethritis</p> <p style="text-align: right;">Priest</p> <p><b>Zea 4 oz</b> Taraxacum 8 oz Hydrastis 2 oz; syrup kidney or bladder irritation, stones</p> <p style="text-align: right;">Clymer</p> <p><b>Zea 15-30 gtt</b> Agrimonia 10-30 gtt</p>	<p style="text-align: right;">bedwetting</p> <p style="text-align: right;">Clymer</p> <p><b>Zea mays</b> Agrimonia Capsella enuresis</p> <p style="text-align: right;">Priest</p> <p><b>Zea mays</b> Althea renal, cystic inflammatory states</p> <p style="text-align: right;">Priest</p> <p><b>Zingiber</b> Amygdalus scalding urine</p> <p style="text-align: right;">Cook</p> <p><b>Zingiber</b> Apocynum Pimpinella sluggish liver without irritability, wiry pulse, or piles</p> <p style="text-align: right;">Cook</p> <p><b>Zingiber</b> Arctium for diffusive effects</p> <p style="text-align: right;">Priest</p> <p><b>Zingiber</b> Caulophyllum Dioscorea colic</p> <p style="text-align: right;">Cook</p> <p><b>Zingiber</b> Gentiana digestive bitter</p> <p style="text-align: right;">DHC</p> <p><b>Zingiber</b> Gentiana and Rheum palmatum combines well</p> <p style="text-align: right;">BHP</p> <p><b>Zingiber</b> Juglans cin. chronic constipation</p> <p style="text-align: right;">Priest</p> <p><b>Zingiber</b> Leonurus Caulophyllum</p>
--	---	---

## ***Herbal Formulation in the Physiomedicalist Tradition***

premenstrual tension,  
congestive amenorrhea or  
dysmenorrhea

Priest

### ***Zingiber***

Lobelia  
fever

Cook

### ***Zingiber***

Matricaria  
Alpinia  
suppressed menstruation

Priest

### ***Zingiber***

Commiphora  
Aloe spicata  
emmenagogue, cathartic

Cook

### ***Zingiber***

Nepeta  
childhood fevers

Priest

### ***Zingiber***

Podophyllum  
Glycyrrhiza  
jaundice

Shook

### ***Zingiber***

Rheum off  
Dioscorea  
full catharsis

Priest

### ***Zingiber***

Valeriana  
Dioscorea  
colic

Priest

### ***Zingiber 1***

Lobelia 1  
Nepeta 2 Pinus can 2; 4 dr  
pwdr to 3 pints water; enema  
hypertension, intestinal  
obstruction, neurasthenia

Priest

### ***Zingiber 10-15 gtt***

Apocynum 10-20 gtt

Rhamnus pursh 10-20 gtt  
jaundice

Clymer

### ***Zingiber 10-40 gtt***

Asclepias 10-20 gtt  
Capsicum 2-3 gtt  
pneumonia or pleurisy

Clymer

### ***Zingiber 15-50***

Lobelia 15-50 gtt  
Asclepias 30-60 gtt  
croup

Clymer

### ***Zingiber 4 oz***

Capsicum 1 dram  
Myrica 4 oz, Pinus 1 oz  
Zanthoxylum 1 dram  
Composition powder

Cook

### ***Zingiber 8-15 gtt***

Myrica 10-20 gtt  
circulatory stimulant and  
diaphoretic

Clymer